MEMO BOLLING SLIP	NEVER USE FO	NCES OR SIM	ACTION	
1 NAME OR TITLE		INITIALS	CIRCI	
ORGANIZATION AND LOCATION		DATE	COOR	DINATION
2			FILE	
		-	INFOR	MATION
3	· · · · · · · · · · · · · · · · · · ·		NECE	
			NOTE	AND URN
4			SEE N	E
		· · · · · · · · · · · · · · · · · · ·	SIGNA	TURE
Is cylinder nows be interchanged	17	,	-	
No, of spaces How is cylia How is gear t etc.	djusted t	o startin		
No, of spaces How is cylia How is gear t etc.	djusted t	o startin	19 pos	
No, of spaces How is cyli a. How is gear t	djusted t	o startin		

REF FR: A484943

SECRE T		ROUTINE AGI#	Ø567Ø 5/435T
FM:	CH NSA EUROPE	INFO: SASST ACT: 17 INFO:	72 1-3 Ø621 4
то:	DIRNSA		115 5
DTG:	2814212 APRIL 54		Ø64 6 V/DIR 7
MSG NR:	FW 711		33 8-9
	ATTN NSA 72		COMSEC 1Ø-15 Ø621 16

REUR 201930Z SPLECHNA INTERVIEWED. NO CRYPT INFO BUT NAMED HORST JUCIUS ANOTHER COLLEAGUE OF DR FOGY RECENTLY REPATRIATED PROBABLY TO WEST BERLIN. ALSO BACKGROUND INFO RECD ON KUTSCHINE (OBJECT 568 K). SUBJ STATED MORE IMPORTANT AND SECRET PROJECTS WERE AT MARFINO. KUTCSHGHINE CLOSED DOWN INFO 1951-1952 AFTER BEING NAMED OVER BBC BROADCAST. MEYER RE-INTERVIEWED AND GAVE FURTHER INFO RE COL HASSAN CIPHER DEVICE WHICH HE STATED MGB BUT INTO USE IN 1951 FOR ENCIPHERING TFC. MEYER WORKED ON MAGNETIC CLUTCH BEING SUBSTITUTED FOR MECHANICAL CLUTCH ON THIS DEVICE. CHIEF RQMT OF MAGNETIC CLUTCH WAS THAT IT MUST NOT SLIP. DESCRIPTION OF DEVICE: (1) MOTOR <u>CURRENT</u> REDUCED TO BELOW 100 VOLTS STABILIZED AND CONTROLLED ON 50 CYCLES.

(2) 2 REGULATED SPEED MOTORS 1 TO TURN DISK AND 1 TO TURN CYLINDER(3) 1 SWITCH STARTS BOTH MOTORS AT ONCE.

DATE RECD: 2823002 APRIL 54 BL/ARJ

1 OF 17 COPIES COPY PAGE

PARAPHRASE NOT REQUIRED CONSULT CRYPTOCENTER BEFORE DECLASSIFYING

SECRET

FORM 781-C10C 6 JUL 51



SECRET

ROUTINE

AG1# Ø567Ø.

DTG: 2814212 APRIL 54

MSG NR: FW 711

(4) GEAR TRAIN AND MAGNETIC CLUTCH TURNS DISK AT VERY REGULAR CONSTANT SPEED ESTIMATED AT BETWEEN 2500 TO 750 RPM.

(5) GEAR TRAIN ADJUSTABLE TO 4 SPEEDS TURNS CYLINDER.

(6) 1 STARTING POSITION FOR DISK

(7) CYLINDER ADJUSTS TO APPROX 8 DIFFERENT STARTING POSITIONS

(8) NO MECHANICAL CONNECTION BETWEEN DISK AND, ELECTRICAL CONNECTION POSSIBLE BUT MEYER HAD NO OPPORTUNITY TO TRACE WIRING

(9) INTERNAL WIRING OF CYLINDER UNKNOWN

(10) 10-12 MM LONG CONTACTS IRREGULARLY SPACED IN HORIZONTAL ROWS ON SURFACE OF CYLINDER VERTICAL ROWS OF CONTACTS AVOIDED AT LEAST ON VISIBLE SIDE OF CYLINDER

(11) PLATINUM TIPPED METALIC BRUSHES LONG ENOUGH TO TOUCH CONTACTS WERE FIXED BY SCREWS INTO IRREGULARLY SPACED NOTCHES ON HORIZONTAL BAR ABOVE CYLINDER.

(12) WIRES FROM THESE BRUSHES WERE LACED INTO A CABLE WHICH MEYER HAD NOT TRACED

(13) MEYER THOUGHT IT UNLIKELY THESE BRUSHES COULD BE SHIFTED EXCEPT POSS BY INSTALLING NEW BAR WITH DIFFERENTLY SPACED NOTCHES.

> COPY____OF___COPIES PAGE____OF___3___PAGES

PARAPHRASE NOT REQUIRED CONSULT CRYPTOCENTER BEFORE DECLASSIFYING

SECRE4**T**4943

SEGRET

ROUTINE

AGI# Ø567Ø

DTG: 2814212 APRIL 54 MSG NR: FW 711

> (14) CYLINDER WAS 100-120 MM IN DIAMETER, 600-800 MM LONG ROTATED IN ONE DIRECTION. ONLY

(15) PERIFERY OF DISK CONTAINS 128 CONTACTS EA 3 MM WIDE AND SPACED ABOUT 10 MM APART. THESE ARE RANDOM CROSSWIRED INSIDE DISK WITH 64 WIRES.

(16) INSIDE OF STATIONARY DRUM IN WHICH DISK ROTATES ALSO CONTAINS 128 CONTACTS. MEYER HAD NOT TRACED WIRES LEADING FROM DRUM CONTACTS

(17) MEYER TERMED THIS A MECHANICAL CIPHER DEVICE BECAUSE DRIVE AND CONTACTS ARE MECH AND NON-CHANGEABLE.

(18) DEVELOPMENT OF AN ELECTRICAL ENCIPHERING DEVICE AHIMARFINO IN 1951 WAS MENTIONED TO MEYER BYA LATVIA MAMEDHERXENBERG (SOURCE OF MEYERS COM SEC INFO) WHO MET MEYER WHILE ENROUTE TO A NORTH PRISON CAMP AFTER LEAVING MCA DBIN NOV 51. MEYERS COULD NOT SAY WHAT HE MEANT BY THE TERM ELECENCIPHERING DEVICE.

(19) FULL WRITTEN REPORT UNDER PREPARATION WILL BE FWDD AIR COURIBR. RELATED SUBJ ASAES TWO HAS REQST CIC TO LOCATE (BUT NOT CONTACT) NEUMAN, AS ADAM, AND LUCIUS ALL FORMERLY OF MARFINO AND THEREFORE

PAGES

MOST LIKELY TO HAVE FURTHER CRYPTO INFORMATION NSA 115 NOTE: DTG: 201930Z IS AGO# 10564 ORIG 0621 COPY OF COPIES

CONSULT CRYPTOCENTER BEFORE DECLASSIFYING

PAGE

FORM 781-C10C 6 JUL 51