

NSA Technical Journal

Vol. XIV, No. 1

UNCLASSIFIED

Key To The Extraterrestrial Messages

BY H. CAMPAIGNE

Unclassified

Dr. Campaigne presented a series of 29 messages from outer space in "Extraterrestrial Intelligence," NSA Technical Journal, Vol. XI, No. 2, pp. 101 ff. and in the Special Mathematics and Engineering Issue of the Journal, pp. 117 ff. The following article develops a key to these messages. Paragraph numbers parallel the serial numbers of the messages reprinted in the appendix below. This includes two new series--30 and 31--not included in the previous article.

At every step in the solution we make a guess at the meaning. Evidence will quickly accumulate to verify or refute this guess. The possibility of ambiguity of two consistent solutions is very remote. Only in the last steps, where verification is thin, could this happen.

1. There are 21 symbols, in the order given by this message.
2. B is equivalent to AA, C to AAA, etc. That is, $A=1$; $B=2$; $C=3$; $D=4$; $E=5$; $F=6$; $G=7$.
3. The symbol L means the two things that follow are the same. LXY means $x=y$.
4. Each statement has 5 symbols, and begins with L. The 4 symbols after L must be considered as two things. Each statement has a K as the third letter, which must be the start of the second thing. Is $B=KAA$; $C=KBA$; $C=KAB$; $D=KCA$? If KBA means $B+A$, it fits.
5. These verify our conclusions on 4. The first means $6=1+(2+3)$, the last means $1+(2+3)=(1+2)+3$.
6. Each has five symbols as in 4. They mean $1=M21$; $2=M31$; $1=M32$. Obviously MXY means $x-y$.
7. These translate $N=1-1$; $N=2-2$; $N=3-3$. N stands for zero, 0.
8. These translate $1=O11$; $0=O01$; $2=O12$; $2=O21$; $0=O02$; $0=O20$; $4=O22$, etc. OXY means the product $X \times Y$.
9. These verify the conclusions of 8. The first says that $6=1 \times 2 \times 3$, the last $4 \times (5 \times 6) = (4 \times 5) \times 6$.

Note: So far we have seen two kinds of symbols: digits A through G and N, and operators L, K, M, and O. The two digits following the operator are the operands.

10. Translates into $4=R22$; $2=R21$; $1=R20$; $3=R31$; $1=R30$. RXY must mean X^Y , exponentiation. R is another binary operator.

11. Translates into $2^4 = 4 + 4$; $2^4 = 1 + 7$; $2^1 = 2 \times 4$; $2^2 = 4$, verifying our previous conclusions.

12. Translates into $3^2 = 4 + 5$; $3^2 = 3 \times 3$. Further verification.

Note: In our culture we use parentheses to group closely associated terms, and as a first step it helps, even though it is not necessary, to put in parentheses. To do so unambiguously, start at the right and read left to the first operator symbol; put parentheses about the operator and the two quantities to its right. Repeat until no pair of parentheses contains more than an operator and two quantities.

13. Translates into $J = 2^1$; $J = 1 + 7$; $J + 1 = 3 \times 3$; $J + 1 = 3^1$, therefore $J = 8$.

14. We can only introduce parentheses by assuming P is an operator, so we get $2 = P8$; $4 = P82$; $1 = P33$; and $3 = P62$. Thus $P \times Y = X \div Y$, division.

15. Assume U is an operator, getting U12; U23; U34; U58; U68; U78; $U2^33^2 = U89$. The smaller is first in each case; so perhaps UXY means X precedes Y or $X < Y$.

16. The new character Q must be an operator. Transcribed it gives us $Q: 0=1$; $Q: 1=3$; $Q: 1=1+1$; $Q: 0=1 \times 1$; $Q: 2^2=2$; $Q: 2 < 2$; $Q: H(1=1)(1=2)$; $Q|Q: 3=3$; $Q: 8 < 7$.

Clearly Q means "the following statement is false." Then the next to the last is read "it is false that $3 \neq 3$." QI will be translated \neq . The second new symbol is not clear, except that it is an operator whose operands are statements, not quantities, a Boolean operator.

Note: Q is an operator with only one operand, unary.

17. Putting in parentheses shows that S is also a unary operator operating on statements. Transcribed they are: $S: 1 = 1$; $S: 1 = 2$; $S: 2 = 1 + 1$; $S: 1 = 1 \times 1$; $S: 0 = 1 - 1$; $S: H[(6 = 1 \times 6)(1 = 6 \div 6)]$; $S: H[(1 = 1)(2 = 2)]$. It is apparent that S means "the following statement is true" or "it is asserted that." The next to the last message shows that HXY means "X implies Y" or "X is a consequence of Y" or maybe "X is logically equivalent to Y."

18. Our rule for parentheses breaks down unless T is a different kind of symbol. The first message shows that T may be a unary operator on quantities, so that AT or TA is a quantity. The third message shows that it must be the first, since T is last. Putting in parentheses this way gives $1T = 1$; $2T = 1T + 1$; $5T = 2T + 3T$; $6T = 3T \times 2T$; $7T = 7$; $16T = 8$. T must be an ending. On one digit it makes no difference. It combines the two digits 10 to make 8. Octal arithmetic?

19. Transcribes to $123T = 1 \times 8^2 + (2 \times 8^1 + 3)$;

$321T = 3 \times 8^2 + (2 \times 8^1 + 1 \times 8^0)$;

$4567T = (4 \times 8^3 + 5 \times 8^2) + (6 \times 8^1 + 7 \times 8^0)$.

Clearly T indicates that "the preceding digits form an octal number." Possibly it is an octal point; if so, digits may occur after it.

Note: Because of the way grouping is implied, it is sufficient to have a marker at the end of a number in order to clearly isolate it as a single entity.

20. In trying to put on parentheses it appears that V is also an ending. But this one combines with both quantities (that is, digits.) and operator. Transcribing by treating V and the preceding symbol as a single unit for the time being, we get:

$$8 \quad 1 + AV \text{ implies } 7 = AV.$$

I will use $\bar{\cdot}$ for H hereafter. Remember that we are not sure of the sense of this sign. $11 = 3^{11} = \cdot 2 = AV$ (I have omitted the T. Remember that 11T is nine);

$$3 \quad AV = \cdot 11 = \bar{AV}^2;$$

$$5 \quad AV = \cdot 6 = 1 + AV.$$

In the next message if we combine the O and V into one symbol the message does not parse. Try GOV as one symbol, getting

$$3 \quad 1 + GOV = \cdot 2 = GOV;$$

$$6 \quad 2 \times SOV = \cdot 3 = SOV;$$

$$3 \quad DOV = \cdot 11 = \overline{DOV}^2;$$

$$\text{It is true that } AV \mid PV = PV + AV;$$

$$\text{It is a tautology that } AV \times PV = PV \times AV;$$

$$\text{It is an identity that } AV + (PV + TV) = (AV + PV) + TV;$$

$$\text{It is asserted that } AV \times (PV \times TV) = (AV + PV) + TV;$$

$$AV \neq BV = \cdot AV = BV \neq BV \quad AV;$$

$$AV \neq BV = AV^{11} \neq BV^{11}.$$

The meaning of V must be that "the preceding letters as a group have an abstract meaning, or are a variable." V is a little like a word spacer.

Note: Putting in parentheses is now complicated by another rule. Each T or V should be packaged with preceding symbols, just how many depending on the parsing of the message. Those preceding T will all be digits. Those preceding V can be expected to reoccur as a group.

21. Putting parentheses in these messages is difficult until we notice that UV appears in each. They then transcribe into:

$$0 \quad [2 + (\overline{DDV}^2 - DDDV \times 3)] = \cdot UV [1 = DDDV]$$

$$[2 = DDDV];$$

$$UV [1 = DV] [0 = 1 = DV] = \cdot [1 = \overline{DV}^2];$$

$$UV [1 = BV] [0 = BV] = \cdot 0 = BV - \overline{BV}^2;$$

$$\text{It is true that } UV \mid AV = BV \mid AV \neq BV;$$

$$\text{It is true that } UV \mid AV < BV \mid BV < AV.$$

In order to complete the parsing we had to assume that UV was a binary operator, and in every case the operands are statements. It is clear from the algebra that UV means "or." The last message shows that U means \leq , rather than $<$ as I had it.

22. We notice that TV is used in every message, and parallels the usage of UV. Assuming TV is a binary Boolean operator, the messages parse.

It is false that $TV|AV \leq BV| \{BV \leq AV\}$;

It is false that $TV|AV = BV| \{AV \neq BV\}$;

$TV|\bar{A}\bar{V}^2 = 4| \{0 \leq AV\} = \cdot AV = 2$;

$AV > BV \Rightarrow \cdot |BV \leq AV| \text{ or } |BV = AV|$;

It is true that not $TV\ GV\ HV = \cdot\ GV$ or HV ;

It is true that GV and $HV = \cdot\ TV\ GV\ HV$;

AV or $(BV$ or $CV) = (AV$ or $BV)$ or CV ;

$TV|AV\ TV|BVCV| = TV| \{TV\ AV\ BV\ CV\}$;

$TV|AV|BV$ or $CV| = TV|AVBV|$ or $TV|AV\ CV|$;

AV or $TV|BV\ CV| = TV|AV$ or $BV| \{AV$ or $CV\}$.

It is apparent that TV means "and." Notice that L is used here to mean "logically equivalent to," although I have written "=".

Note: U is used here for $<$, not \leq .

Either there is a mistake, or the usage varies.

23. The parsing falters until we realize that JNV occurs in each message, and is probably a word. BAV and CAV also occur in each message. They transcribe into:

$JNV|BAV$ or $CAV|BAV$;

$JNV\ BAV|BAV$ and $CAV|$;

$JNV|BAV$ or $CAV| \{BAV$ and $CAV\}$;

$JNV\ BAV\ CAV = \cdot\ BAV = (BAV$ or $CAV)$;

$JNV\ BAV\ CAV = \cdot\ CAV = (BAV$ and $CAV)$.

The last two conclusions look like set theory statements. JNV parses like a binary operator. JNV XY could mean "X contains Y" in the set theory sense. Then if UV is "or" in the set theory sense, the union, and TV is "and" in the set theory sense, the intersection, the statements above can be rewritten:

$BAV \cup CAV \supset BAV$

$BAV \supset BAV \cap CAV$

$BAV \cup CAV \supset BAV \cap CAV$

$BAV \supset CAV = \cdot\ BAV = (BAV \cup CAV)$

$BAV \supset CAV = \cdot\ CAV = (BAV \cap CAV)$.

24. NKV looks like a binary operator of which at least the first operand is a quantity. JAV is uniformly the second operand. From 23 above we are alert to set theory statements. Could it be that NKV says something is a member of some set? Try it. They become

$1\epsilon JAV$; $2\epsilon JAV$; $3\epsilon JAV$; $4\epsilon JAV$; $5\epsilon JAV$; $6\epsilon JAV$; $7\epsilon JAV$; $11\epsilon JAV$;

$12\epsilon JAV$; $AV\epsilon JAV = \cdot\ AV + 1\epsilon JAV$.

JAV is the set of positive integers! It fits!

25. These parse into:
 (1 and 2)_t JAV;
 (1 and 2) and 3)_t JAV;
 (14 and 17)_t JAV;
 (77 and 100) and 101)_t JAV;
 (AV \supset NMV) and (BV \supset NMV) = \cdot (AV and BV) \supset NMV;
 0_t JAV;
 8_t JAV; 8'_t JAV; 8''_t JAV; 8'''_t JAV; 8''''_t JAV; 8''''''_t JAV;
 8''''''_t JAV; BV_t JAV = \cdot 8''_t JAV;
 (BV and CV)_t JAV = \cdot BV_t CV_t JAV;
 (BV and CV)_t JAV = \cdot BV \times CV_t JAV;
 (BV and CV)_t JAV = \cdot BV^{CV}_t JAV;
 1/2_t JAV; 1 - 2_t JAV; 0 - 3_t JAV; 7/6_t JAV.

This verifies beyond doubt the guess of 24.

26. There is a new word, JOV. The messages read JAV_tJOV:
 0 - 1_tJOV; 0 - BV_tJAV = \cdot BV_tJOV;
 1/2_tJOV; AV and BV_tJOV = \cdot AV - BV_tJOV;
 (AV and BV in JOV) and 0 \neq BV = \cdot AV \div BV in JOV;
 1 \neq 0 not in JAV; 1 \neq 0 not in JOV;
 It is true that (AV \div BV) \times (CV \div DV) = (AV \times CV) \div
 (BV \times DV);
 It is true that AV \times DV $<$ BV \times CV = \cdot AV \div BV $<$ CV \div
 DV, BV \times DV \neq 0;
 AV_tJAV \cdot 0 - 1 $<$ AV.

JOV is seen to be the field generated by JAV, in other words, the set of rational numbers. The next to the last message has a garble, an extraneous A.

27. This transcribes to:
 (AV - BV) and (BV = \cdot AV) = \cdot HV.AV.BV.
 Clearly HV means "logically equivalent," or "=".
 (AV - \cdot BV) = \cdot (AV = \cdot BV) and (BV = \cdot AV)
 (AV - \cdot BV) = \cdot (AV = \cdot BV) and (BV = \cdot AV).
 28. These transcribe to
 $\overline{GV}^2 = 3 = \cdot$ GV not in JOV;
 $\overline{GV}^2 = 2 = \cdot$ GV not in JOV;
 $\overline{GV}^2 = 5 = \cdot$ GV not in JOV;
 GV² = 5 = \cdot GV in JEV;
 JOV is in JEV;
 JAV is in JEV;
 $\overline{GV}^2 = 0 - 1 = \cdot$ GV not in JEV.

We have a new set, containing the rationals, and at least one irrational, but not the imaginary $\sqrt{-1}$. JEV is probably the real numbers.

29. These transcribe to

$1 \cdot 2^{n-1}$ in JBV; $1 - 3^n$ in JBV;

$1 \cdot 4^{n-1}$ in JBV; $1 - \overline{NV}^n$ in JBV;

NLV JBV = 1 [assuming NLV is one word. Another possible parsing is L.V.(JBV, 1) = 0]

$1/1$ in JCV; $1/2$ in JCV; $1/3$ in JCV; $1/NV$ in JCV; NLV JCV

O [or L.V.(JCV, O) = O. But the two examples suggest that NLV means "a limit of." If NV is an integer this fits perfectly.]

$(1 - 1/2)^2$ in JBV; $(1 - 1/3)^2$ in JBV;

$(1 - 1/4)^4$ in JBV; $\left(1 - \frac{1}{8^{100}}\right)^{100}$ in JBV;

$\left(1 - \frac{1}{NV}\right)^{NV}$ in JBV; NLV JBV in JEV.

If NLV means limit, then JEV contains the number e, a verification of our guess that JEV named the real numbers.

The last two lessons - 30 and 31 - were not published with the first (twenty-nine because it made too long an exercise.

30. The later messages of this group have the mysterious sequences ABCD, ABCDE, DEFG, etc, each ending with STV. If we bunch these each as a unit, the messages parse. They then say JNV 1 natural number; JNV 2 natural number; JNV 3 natural number; JNV 123 STV natural number; conjecture STV means "the preceding is a set (or sequence)," and JNV means "belongs to." There is doubt about the latter, since we thought earlier that it meant "contains"; AV belongs to 1234 = AV is a natural number; 12345 or 4567 = 45 as sets; 12345 and 4567 = 1234567 as sets.

31. This last group is of impressive magnitude, 41 messages, of which the thirtieth is quite long. Parsing is eased by the parallel construction of the messages. They transcribe to:

JRAV belongs to CHAV; JRBV belongs to CHAV; JRCV belongs to CHAV; the set JRAV, JRBV, JRCV, JRDV, JREV, JRFV, JRGV belongs to CHAV; [Since all the digits appear in these groups, maybe they are used like subscripts and should be read JR₁, JR₂, etc.]; JO₁ belongs to CHAV; JO₂ belongs to CHAV; JO₂₂ belongs to CHAV; the set JO₁, JO₂, JO₃, JO₄, JO₅, JO₆, JO₇, JO₈, JO₉, JO₁₀, JO₁₁, JO₁₂, JO₁₃, JO₁₄, JO₁₅, JO₁₆, JO₁₇, JO₁₈, JO₁₉, JO₂₀, JO₂₁, JO₂₂ belongs to CHAV; U₀ and U₁ = 22 JO₁ belongs to CHAV [This one must be parsed wrong or garbled]; BL₁ belongs to JR₁; BL₂ belongs to JR₁; BL₃ belongs to JR₁; BL₄ belongs to JR₁; BL₅ belongs to JR₂;

AV < 3 and 12 ≥ AV = = BL₁₇ belongs to JR₁;

AV < 13 and 22 > AV = = BL₁₇ belongs to JR₁;

AV < 23 and 44 ≥ AV = = BL₁₇ belongs to JR₁;

AV > 45 and 66 > AV < 22 = • BL₁₁ belongs to JR₁;
 AV > 67 and 126 > AV < 22 = • BL₁₁ belongs to JR₁;
 AV > 127 and 142 > AV < 22 = • BL₁₁ belongs to JR₁;
 The set BL₁, BL₂, BL₃, BL₄, BL₅, BL₆, BL₇, BL₈, BL₉, BL₁₀ belongs to JO₁;
 The set BL₁₁, BL₁₂, BL₁₃, BL₁₄, BL₁₅, BL₁₆, BL₁₇, BL₁₈ belongs to JO₂;
 The set BL₁₉, BL₂₀, BL₂₁, BL₂₂, BL₂₃ belongs to JO₃;
 The set BL₂₄ and BL₂₅ and BL₂₆ and BL₂₇ and BL₂₈ belongs to JO₄;
 The set BL₂₉, BL₃₀, BL₃₁, BL₃₂, BL₃₃ belongs to JO₅;
 The set BL₃₄, BL₃₅, BL₃₆, BL₃₇, BL₃₈, BL₃₉ belongs to JO₆ [note a garble here, an N is repeated];
 The set BL₄₀, BL₄₁, BL₄₂, BL₄₃, BL₄₄ belongs to JO₇;
 The set BL₄₅, BL₄₆, BL₄₇, BL₄₈, BL₄₉, BL₅₀ belongs to JO₈;
 The set BL₅₁, BL₅₂, BL₅₃, BL₅₄, BL₅₅, BL₅₆, BL₅₇, BL₅₈, BL₅₉, BL₆₀, BL₆₁, BL₆₂, BL₆₃, BL₆₄, BL₆₅, BL₆₆, BL₆₇, BL₆₈, BL₆₉, BL₇₀, BL₇₁, BL₇₂, BL₇₃, BL₇₄, BL₇₅, BL₇₆, BL₇₇, BL₇₈, BL₇₉, BL₈₀, BL₈₁, BL₈₂, BL₈₃, BL₈₄, BL₈₅, BL₈₆, BL₈₇, BL₈₈, BL₈₉, BL₉₀, BL₉₁, BL₉₂, BL₉₃, BL₉₄, BL₉₅, BL₉₆, BL₉₇, BL₉₈ belongs to JO₁₁;
 BL₉₉ and BL₁₀₀ and BL₁₀₁ belongs to JO₁₂;
 The set BL₁₀₂, BL₁₀₃, BL₁₀₄ belongs to JO₁₃;
 The set BL₁₀₅, BL₁₀₆, BL₁₀₇ belongs to JO₁₄;
 The set BL₁₀₈, BL₁₀₉, BL₁₁₀ belongs to JO₁₅;
 The set BL₁₁₁, BL₁₁₂, BL₁₁₃ belongs to JO₁₆;
 The set BL₁₁₄, BL₁₁₅, BL₁₁₆ belongs to JO₁₇;
 The set BL₁₁₇, BL₁₁₈, BL₁₁₉ belongs to JO₂₀;
 The set BL₁₂₀, BL₁₂₁, BL₁₂₂ belongs to JO₂₁;
 The set BL₁₂₃, BL₁₂₄, BL₁₂₅ belongs to JO₂₂;
 CHAV belongs to KSPV.

The transcription leaves a lot to be resolved. There are several words the meanings of which are yet to be determined. The word CHAV (or CH) seems to be central. There are seven words JR, and eighteen words JO, and each of these belongs to CHAV. There are 98 words BL, each of which seems to belong to a unique JO. Does each also belong to a unique JR? With this hint we can straighten out the garbled message above; it reads "0 < AV and AV < 22 = • JO₁₁ belongs to CHAV"; there was a V omitted. I was also able to reparse six other messages. I will not bore you with the details, since the list above has been corrected.

Since each BL_{*i*} belongs to one JR, and JO, these can be displayed in a matrix

	JR ₁	JR ₂	JR ₃	JR ₄	JR ₅	JR ₆	JR ₇
JO ₁	BL ₁	BL ₂	BL ₃	BL ₄	BL ₅	BL ₆	BL ₁₂₇
JO ₂	BL ₁₁	BL ₁₂	BL ₁₃	BL ₁₄	BL ₁₅	BL ₁₆	BL ₁₁₆
JO ₃		BL ₁₉	BL ₂₀	BL ₂₁	BL ₂₂	BL ₂₃	BL ₁₂₁
JO ₄		BL ₂₄	BL ₂₅	BL ₂₆	BL ₂₇	BL ₂₈	BL ₁₂₂
JO ₅		BL ₂₉	BL ₃₀	BL ₃₁	BL ₃₂	BL ₃₃	BL ₁₂₃
JO ₆		BL ₃₄	BL ₃₅	BL ₃₆	BL ₃₇	BL ₃₈	BL ₁₂₄

UNCLASSIFIED

EXTRATERRESTRIAL.

JO ₇	BL ₁₁	BL ₂₁	BL ₄₃	BL ₆₅	BL ₁₂₅																																													
JO ₁₀	BL ₁₂	BL ₂₂	BL ₄₁	BL ₆₆	BL ₁₂₆																																													
JO ₁₁	{ <table border="0" style="display: inline-table; vertical-align: middle;"> <tr> <td>BL₁</td> <td>25</td> <td>47</td> <td>71</td> <td>72</td> <td>73</td> <td>74</td> <td>75</td> <td>76</td> <td>77</td> </tr> <tr> <td>100</td> <td>101</td> <td>102</td> <td>103</td> <td>104</td> <td>105</td> <td>106</td> <td>107</td> <td></td> <td></td> </tr> <tr> <td>131</td> <td>132</td> <td>133</td> <td>134</td> <td>135</td> <td>136</td> <td>137</td> <td></td> <td></td> <td></td> </tr> <tr> <td>140</td> <td>141</td> <td>142</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	BL ₁	25	47	71	72	73	74	75	76	77	100	101	102	103	104	105	106	107			131	132	133	134	135	136	137				140	141	142																
BL ₁		25	47	71	72	73	74	75	76	77																																								
100		101	102	103	104	105	106	107																																										
131		132	133	134	135	136	137																																											
140	141	142																																																
JO ₁₂	BL ₁₆			BL ₆₀	BL ₁₁₀																																													
JO ₁₃			BL ₂₇	BL ₅₁	BL ₁₁₁																																													
JO ₁₄			BL ₃₀	BL ₅₂	BL ₁₁₂																																													
JO ₁₅			BL ₃₁	BL ₅₃	BL ₁₁₃																																													
JO ₁₆			BL ₃₂	BL ₅₄	BL ₁₁₄																																													
JO ₁₇			BL ₃₃	BL ₅₅	BL ₁₁₅																																													
JO ₂₀			BL ₃₄	BL ₅₆	BL ₁₁₆																																													
JO ₂₁			BL ₃₅	BL ₅₇	BL ₁₁₇																																													
JO ₂₂			BL ₃₆	BL ₆₀	BL ₁₂₀																																													

Remember that these are not decimal numbers. There is only one cell with more than one entry, and the subscripts in it in decimal notation are 21, 39, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98. The larger part of the entries is systematically distributed in the first eight rows. This suggests the periodic table of the chemical elements! On consulting a table we find, sure enough, that elements 57 through 71 are rare earths, and are lumped into one cell. Some, but not all, authorities also list 89 through 103 as rare earths. Elements 21 and 39 are Scandium and Yttrium.

CHAV must mean the periodic table. JR_x means column x, and JO_y means row y. BL_z means element Z. The meaning of KSPV is not known, except that it is a generalization of "periodic table." It may merely mean table, or scientific fact, or university subject.

Looking back over the exercise we see we have penetrated the meaning of the basic symbols, and even more important, have learned some of the syntax rules of the notation, and have caught mistakes in the process. We have a few words for sophisticated concepts, and, given more data, with a little labor we could establish its translation.

The concepts used here are the basic ones of number, sets, and physical constants which any cultures must share. How bizarre the syntax and values of a culture could be I cannot conjecture, but any civilizations capable of sending a message across space must have many things in common.

APPENDIX

Recently a series of radio messages was heard coming from outer space. The transmission was not continuous, but cut by pauses into pieces which could be taken as units, for they were repeated over and over again. The pauses show here as punctuation. The various combinations have been represented by letters of the alphabet, so that the messages can be written down. Each message except the first is given here only once. The serial number of the message has been supplied for each reference.

- 1 ABCDEF GHIKLMNOPQRSTUW
 ABCDEF GHIKLMNOPQRSTUW
 ABCDEF GHIKLMNOPQR etc
- 2 AA. B AAA. C. AAAA. D. AAAAA. E. AAAAAA. F. AAAAAA. G
- 3 LAA. LBB. LCC. LDD. LEE. LFF. LGG
- 4 LKAA. LKBA. LKAB. LDKA. LDKB. LDKC. LEKA.
 LEKB. LEKC. LEKD. LFKA. LFKB. LFKC. LFKD.
 LFKE
- 5 LFKAB. LFKBA. LGKAB. LGKBA. LKABCKABC
- 6 LAMBA. LBMCA. LAMCB. LCMDA. LBMDB. LAMDC. LDMEA.
 LCMEB. LBMEC. LAMED
- 7 LNMAA. LNMBB. LNMCC. LNMDD. LNMBB. LNMFF. LNMGG
- 8 LADAA. LADBA. LBOAB. LBOBA. LNOBN. LNOBN. LDOBB.
 LDOAB. LFOAF. LFOBC
- 9 LFOAOC. LFOCOB. LFOBOA. LODOFOODEF
- 10 LRRB. LRRBA. LARRN. LCRCA. LARCN
- 11 LRRCKD. LRRCKG. LRRCOB. LRBDD
- 12 LRRCKE. LRRBOC
- 13 LRRB. LKAG. LKJAOCC. LKJARC
- 14 LRRJD. LRRJB. LARCC. LCPFB
- 15 UAB. UBC. UCD. UEJ. UFJ. UGJ. URBCRB.
- 16 QLNA. QLAC. QLAKAA. QLNOAA. QLRRBB. QUBB. QHLAALAB.
 QQLCC. QUJG.
- 17 SLAA. SUAB. SLBAAA. SLA0AA. SLNMAA. SHLFOAFLAPFF. SHLAALBB
- 18 LATA. LBTATA. LETKBTCT. LFTOCTBT. LGTG. LANTJ.
- 19 LABCTKOARJBKOB. JAC.
 LCBATKOC. RJBKOB. JAOARJN.
 LDEFCTKODRJC. DERJBKOF. JAOGRJN.
- 20 HLKAAVI GAV. SLOAVFYOPYAV.
 HL AATHAVLBAV. SLKAVPPTYV. KAVPPTY.
 HL KAVI APTRAV. SLOAVOPVSV. OAVPVS.
 HL KAVI PRAAV. HQLAVBYQL. MAVBYBBVAV.
 HL KAVI GCOV. HQLAVBYQL. MAVBYBBVAV.
 HL KAVI CSOV. HQLAVBYQL. MAVBYBBVAV.
 HL KAVI AATHROVB. HQLAVBYQL. MAVBYBBVAV.
 HL KAVI KPYAV. HQLAVBYQL. MAVBYBBVAV.
- 21 HL NNNRRD. RIVBO. ODUCU. VLADDO. VLBDDV.
 HUVI. ADVL. NNA. VYLARDVB.
 HUVI. ABVL. NBYL. MVRVB.

- SUVLAYBVQLAVBY.
 SIVUAYBVUBVAY
 22 QTVUAYBVUBVAY.
 QTVLAYBVQLAVBY.
 HTVLAYBVKMAVLAVB.
 HQVLAVBVUBVAVLBYAY.
 SHQTVCHVUUVQCVQHY.
 SHQTVCHVUUVQCVQHY.
 SHQTVCHVUUVQCVQHY.
 IJVAUVBVCVHIVUAVBVCV.
 LTVAVTVBVCVHTVAVBVCV.
 LTVAVTVBVCVHTVAVBVCV.
 LUVAVTVBVCVHTVAVBVCV.
- 23 JNVUHVAVTAVBAY.
 JNVBAYTVBAYCAV.
 JNVUBAVCAVTVBAYCAV.
 JNVHAYCAVLAIVHAYCAV.
 JNVHAYCAVLCAYTVHAYCAV.
 HTVJNVHAYCAVJNVCAVBAVLMAVCAV.
 JNVHAYCAVJNVCAVQRAV.
 SHTVJNVHAYCAVJNVCAVDAVJNVBAVDAV
- 24 NKVAJAY.
 NKVBJAY.
 NKVCJAY.
 NKVDJAY.
 NKVEJAY.
 NKVFJAY.
 NKVGJAY.
 NKVAATJAY.
 NKVABTJAY.
 HNKVYJAVNKVKAVAJAY
- 25 NKVTABJAY.
 NKVTTVABCJAY.
 NKVTVADTALAJAY.
 NKVTTVCGGTAMTANATJAY.
 HTVJNVAVNIVJNVBVMVJNVTVAVBVMV.
 NKVJAY.
 NKVJJAY.
 NKVJBAY.
 NKVJCAJAY.
 NKVJIAJAY.
 NKVRIJAY.
 NKVRIANTJAY.
 NKVRIAMNTJAY.
 NKVRIAMNTJAY.
 HNKVYJAVNKVJBYJAY
- 26 NKVJAYJOV.
 NKVMAJOV.
 INKVMHBYJAVNKVBYJOV.
 NKVPABJOV.
 INKVTAVBYJOVKNVAVBYJOV.
 HTVNTVAVBYJOVQLMBVNTVAVBYJOV.
 QNKVPANJAY.
 QNKVPANJOV.
 SLQPAVRVPCVIVUAVCVORVIV.
 SHQDAVDVUBVCYVIFAVBYFACVDV.
 QLOBVDVW.
 HNKVYJAVIUNNAAY.
- 27 HTVIAVHVIVAVHVAVBY.
 HVAVAVTVHVAHVIVAVBY.
 HVAVAVBTVHVAHVIVAVBY
- 28 HRCVBCQNKVGVJOV.
 HLRGVBBQNKVGVJOV.
 HLRGVBBQNKVGVJOV.
 HLRGVBBQNKVGVJEV.
 HLRGVBBQNKVGVJEV.
 HLRGVBBQNKVGVJEV.
- 29 NKVMARBNHJBY.
 NKVMARBNHJBY.
 NKVMARBNHJBY.
 NKVMARBNHJBY.
 LNLVJBYA.
 NKVPALJCV.
 NKVPALJCV.
 NKVPALJCV.
 NKVPALJCV.
 LNLVJCVN.
 NKVMAPABBIBY.
 NKVMAPACCIBY.
 NKVMAPADJIBY.
 NKVMAPANJANNTJBY.
 NKVMAPANVNVJBY.
 NKVHLVJBYJEV.
30. JNVAJAY;
 JNVBJAY;
 JNVCAJAY;
 JNVABCSTVJAY;
 HJNVAVABCDSTVJNVAVJAY;
 IUVABCDESTVDEFGSTVDESTV;
 LTVABCDESTVDEFGSTVABCDEFGSTV;
31. JNVJRAVCHAV;
 JNVJRBVCHAV;
 JNVJRCVCHAV;
 JNVJRAVJRBVJRCVJRDVJREVJRFVJRCVSTVCHAV;
 JNVJOAVCHAV;
 JNVJOBVCHAV;
 JNVJOBVCHAV;

.INVJOAVJOBVJOCVJODVJOEVJOFVJOGV
 JOANVJOAAVJOABVJOACVJOADVJOAEVJOAFVJOAGV
 JOBNVJOBAVJOBVSTVCHAV:
 .ITVINAVUAVRBT.INVJOAVVCHAV:
 .INVBLAVJRAV
 .INVBLBVJRAV
 .INVBLCVJRBV
 .INVBLDVJRBV
 .INVBLABVJRBV
 .INTVQUAVCQUARTAV.INVBLAVVJRBV
 .INTVQUAVACTQUBSTAV.INVBLAVVJRCV
 .INTVQUAVBCTQUDDTAV.INVBLAVVJRDV
 .INTVQAVDETOUFFTAV.INVBLAVVJREV
 .INTVQUAVFCTQUABFTAV.INVBLAVVJRFV
 .INTVQUAVBCTQUADBTAV.INVBLAVVJRGV:
 .INVBLAVRLCVBLACVBLBCVBLDEVBLFCV
 BFAAGVSTVJOAV
 .INVHLRVBLDVBLADVBLBDVBLDFV
 BLGHLVBLACNVSTVJOBV:
 .JHHLFVBLAEVBLCCVBLFAVBLABAVSTVJOCV
 .JNVTVTVTVTVBLFVBLAFVBLDNVBLFBVBLABBVSTVJODV
 .JNVBLCVBLACVBLDAVBLFCVBLABCVSTVJOEV
 .JNVBLANNBLBNVBLDBVBLFDVBLABDVSTVJOFV
 .JNVBLAAVBLBAVBLDCVBLFEVBLABEVSTVJOCV
 .JNVBLABVBLBBVBLDDVBLFFVBLABFVSTVJOANV
 .JNVBLBEVBLDCVBLGAVBLGBVBLGCVBLGDV
 BLGEVBLGFVBLGCVHLANNVRLANAVBLANBVBLANCV
 BLANDVBLANFVBLANGVBLACAVBLACBV
 BLACCVBLACDVBLACEVBLACFVBLACGVBLADNV
 BLADAVBLADBVSTVJOAAV:
 .JNVTVTVBLBFVBLENVBLAANVJOABV
 .JNVBLBCVBLEAVBLAAVSTVJOACV:
 .JNVBLCNVBLEBVBLAABVSTVJOADV
 .JNVBLCAVBLECVBLAACVSTVJOAEV:
 .JNVBLCBVBLEDVBLAADVSTVJOAFV
 .JNVBLCCVBLEFVBLAAEVSTVJOAGV:
 .JNVBLCDVBLEFVBLAAFVSTVJOBV:
 .JNVBLCEVBLEGVBLAAGVSTVJOBV:
 .JNVBLCFVBLEFVBLABNVSTVJOBV:
 JNVCHAVKSPV