## NSA/CSS EVALUATED PRODUCTS LIST for HIGH SECURITY SOLID STATE DESTRUCTION DEVICES

The Evaluated Products List (EPL) contains a listing of high security destruction devices evaluated by the National Security Agency/Central Security Service (NSA/CSS) that meet the performance requirements of NSA/CSS Specification High Security Solid State Destruction Devices. Inclusion of a product in the EPL is not an endorsement by NSA/CSS or the U.S. Government.

The NSA/CSS Storage Device Sanitization Manual 9-12 provides sanitization guidance for all classified media storage devices. Evaluated products must reduce any solid state memory chip to an area of four millimeters square or less with no long edge greater than two millimeters. All destruction devices listed meet the NSA/CSS sanitization specification for optical media, the devices with optical media listed in the acceptable media column have met the duration requirement.

The EPL alphabetically provides the disintegrator device name, model number, and contact data for the distributor and/or sales marketing agent contacts for each destruction device evaluated for sanitization of all classification levels. The EPL also lists the acceptable material and throughput rating based on circuit board destruction of pounds per hour.

This EPL captures all High Security Solid State Destruction Devices evaluated to NSA/CSS Specification since April 2012. All approved models that are discontinued and/or no longer manufactured remain on the EPL. Updates to the EPL will be on an as-needed basis. Users are encouraged to contact disintegrator manufacturers and/or distributors for assistance in selecting unit(s) best suited to their requirements. If a user has questions about a specific model not listed on the EPL, they can contact the Center for Storage Device Sanitization Research (CSDSR) at 301-688-1053, send an e-mail to CSDSR@nsa.gov, or contact their respective Client Advocate Service listed below.

The procedures for administration and distribution of the EPL are subject to change without notice. If there is an inquiry, US Government users should contact designated customer support channels through the NSA/CSS Information Assurance Directorate (IAD) Client Advocate Services. For IAD Client Advocate support to Civil and DoD Agencies, please call 1-410-854-4790 and for Military Services, Intelligence, and Combatant Commands please call 1-410-854-4200. If you prefer to send an e-mail, please contact us at <a href="NIASC@nsa.gov">NIASC@nsa.gov</a>. For all other inquiries, please contact the NSA/CSS Public Affairs Office via phone at 301-688-6524 or send an e-mail to <a href="nsapao@nsa.gov">nsapao@nsa.gov</a>.

| KNIFEMILL DISINTEGRATOR |                 |  |        |                |   |  |  |  |
|-------------------------|-----------------|--|--------|----------------|---|--|--|--|
| Device<br>Name          | Model           | Distributor One Hour Screen Durability Test Size |        | Screen<br>Size | Acceptable Material   |  |  |  |
| DSI                     | SSMD-2mm        | Data Security Inc.                               | 50 lbs | 2 mm           | SIM Card, Flash Drive, Circuit Board,<br>Solid-State Drive, Cell Phone, &Tablet |  |  |  |
| InfoStroyer             | 151-HP          | Applied Magnetics<br>Laboratory, Inc.            | 10 lbs | 1.50 mm        | SIM Card, CAC ID, EMV Credit Card,<br>Magnetic Strip Card, CD, & DVD            |  |  |  |
| SEM                     | 0200<br>OMD/SSD | Security Engineered<br>Machinery                 | 10 lbs | 1.50 mm        | SIM Card, CAC ID, EMV Credit Card,<br>Magnetic Strip Card, CD, & DVD            |  |  |  |

| HAMMERMILL DISINTEGRATOR |                            |                |                             |                |  |  |  |  |  |
|--------------------------|----------------------------|----------------|-----------------------------|----------------|--|--|--|--|--|
| Device<br>Name           | Model                      | Distributor    | One Hour<br>Durability Test | Screen<br>Size | Acceptable Material  |  |  |  |  |
| GigaBiter                | GB12 Solid<br>State System | GigaBiter, LLC | 75 lbs                      | 1.905 mm       | SIM Card, CAC ID, EMV Credit Card,<br>Magnetic Strip Card, Flash Drive, Circuit<br>Board, Solid-State Drive, Enterprise<br>Solid-State Drive, Cell Phone, & Tablet |  |  |  |  |
| GigaBiter                | GB16 Solid<br>State System | GigaBiter, LLC | 600 lbs                     | 2 mm           | Flash Drive, Circuit Board, Solid-State<br>Drive, Cell Phone, & Tablet   |  |  |  |  |

| REFERENCE CHART FOR CONVERSION                       |  |  |  |  |  |
|--|--|--|--|--|--|
| 0.8  millimeter = 1/32  inch  (0.03125  inch)        |  |  |  |  |  |
| <b>2.0</b> millimeter = $5/64$ inch (0.03937 inch)   |  |  |  |  |  |
| 4.8  millimeter = 3/16  inch  (0.18750  inch)        |  |  |  |  |  |
| <b>5.0</b> millimeter = $25/128$ inch (0.19531 inch) |  |  |  |  |  |
| 12.7 millimeter = $1/2$ inch (0.50000 inch)          |  |  |  |  |  |

## DISTRIBUTOR CONTACT INFORMATION

Applied Magnetic Laboratory, Inc. (AML)

401 Manor Street York, PA 17401

URL: <a href="www.appliedmagnetics.com">www.appliedmagnetics.com</a> GSA Contract#: **GS-02F-0016T** 

Drew Wildonger, President

E-mail: <u>sales@appliedmagnetics.com</u> Tel: 1-800-754-1619 or 410-583-2100

Fax: 410-583-8315

**Data Security, Inc.** 300 S. 7<sup>th</sup> Street

300 S. 7<sup>th</sup> Street Lincoln, NE 68508

URL: <a href="http://datasecurityinc.com">http://datasecurityinc.com</a>
GSA Contract#: GS-35F-0535T

Renee Schafer, Director of Sales and Marketing

E-mail: sales@telesis-inc.com

Phone: 1-800-225-7554 or 402-434-5959

Fax: 402-434-3291

GigaBiter

130 Penn Am Dr. Unit C Quakertown, PA 18951 URL: www.gigabiter.com

GSA Contract#: GS-03F-0096U

Missy Rinehimer, President

E-mail: <u>info@gigabiter.com</u> Phone: 866-944-2248

Fax: 610-631-9393

**Security Engineered Machinery, Inc. (SEM)** 

5 Walkup Drive Westboro, MA 01581

URL: <a href="www.semshred.com">www.semshred.com</a>
GSA Contract#: GS-02F-0111P

Terry Creek, Vice President Government Sales

E-mail: t.creek@semshred.com

Phone: 1-800-225-9293 Fax: 1-508-836-4154