



NATIONAL SECURITY AGENCY CENTRAL SECURITY SERVICE

MA CP 2.8.0 Requirements Mapping to NIST SP 800-53 Security Controls

Most of the requirements in the Mobile Access (MA) Capability Package (CP) support the implementation of the security controls specified in the National Institute of Standards and Technology (NIST) Special Publication 800-53 Revision 5 (NIST SP 800-53). This appendix is provided for customers who must demonstrate implementation of a set of NIST SP 800-53 security controls as part of their Risk Management Framework (RMF) (formerly known as Certification and Accreditation (C&A)) process for a system incorporating a mobile access solution that complies with this CP.

Note that the presence of a mapping between a CP requirement and a NIST SP 800-53 security control does not necessarily indicate that the CP requirement by itself is sufficient to satisfy the security control. Instead, a mapping indicates that the CP requirement provides some degree of support to the application of the security control. Additional work outside the scope of this CP may be required to effectively implement the security control on the target system.

MA CP 2.8.0 Requirements Mapping to NIST SP 800-53 Security Controls

| CP Requirement | NIST SP 800-53 Revision 5 Security Controls |
|----------------|------------------------------------------------------------------------|
| MA-PS-1 | SA-4 (6) (7), SR Family |
| MA-PS-2 | SA-4 (6) (7), SR Family |
| MA-PS-3 | SA-4 (6) (7), SR Family |
| MA-PS-4 | SA-4 (6) (7), SR Family |
| MA-PS-5 | Requirement relocated to <i>CSfC Key Management Requirements Annex</i> |
| MA-PS-6 | SA-4 (6) (7), SR Family |
| MA-PS-7 | SA-4 (6) (7), SR Family |
| MA-PS-8 | SA-4 (6) (7), SR Family |
| MA-PS-9 | SA-4 (6) (7), SR Family |
| MA-PS-10 | SA-4 (6) (7), SR Family |
| MA-PS-11 | SA-4 (6) (7), SR Family |
| MA-PS-12 | SA-4 (6) (7), SR Family |
| MA-PS-13 | SA-4 (6) (7), SR Family |
| MA-PS-14 | SA-4 (6) (7), SR Family |
| MA-PS-15 | Withdrawn |
| MA-PS-16 | SC-29 |
| MA-PS-17 | AC-4 (21), SC-3 (1), SC-7 (14) (21), SC-32 |
| MA-PS-18 | SC-29 |
| MA-PS-19 | Requirement relocated to <i>CSfC Key Management Requirements Annex</i> |



| CP Requirement | NIST SP 800-53 Revision 5 Security Controls |
|----------------|------------------------------------------------------------------------|
| MA-PS-20 | SC-29 |
| MA-PS-21 | SC-29 |
| MA-PS-22 | Requirement relocated to <i>CSfC Key Management Requirements Annex</i> |
| MA-PS-23 | SC-29 |
| MA-PS-24 | SA-4 (6) (7) |
| MA-PS-25 | CM-1, CM-2, SA-4 (6) (7), SC-13 |
| MA-PS-26 | SA-4 (6) (7), SR Family |
| MA-PS-27 | SA-4 (6) (7), SR Family |
| MA-PS-28 | Withdrawn |
| MA-PS-29 | SC-12, SC-17 |
| MA-PS-30 | SA-4 (6) (7) |
| MA-PS-31 | CM-14 |
| MA-PS-32 | CM-14 |
| MA-PS-33 | SA-4 (6) (7) |
| MA-PS-34 | SA-4 (6), SR Family |
| MA-PS-35 | SA-4 (6), SR Family |
| MA-PS-36 | SA-4 (6), SR Family |
| MA-PS-37 | SA-4 (6), SR Family |
| MA-PS-38 | SA-4 (6), SR Family |
| MA-PS-39 | SA-4 (6), SR Family |
| MA-PS-40 | SA-4 (6), SR Family |
| | |
| MA-SR-1 | AC-4 (21), SC-7 (13) (21) |
| MA-SR-2 | SC-45 (1), AU-12 (1) |
| MA-SR-3 | SC-45 (1), AU-12 (1) |
| MA-SR-4 | AC-2 |
| MA-SR-5 | CM-6, CM-7 |
| MA-SR-6 | SI-3 (2) |
| MA-SR-7 | AC-4 |
| MA-SR-8 | AC-4, SC-7 (21), SC-8 |
| MA-SR-9 | AC-4, SC-7 (21), SC-8 |
| MA-SR-10 | AC-4, AC-6, SC-2, SC-7 |
| MA-SR-11 | CM-6, CM-7 |
| MA-SR-12 | CM-6, CM-7, SC-22 |
| MA-SR-13 | CM-6, CM-7 |
| MA-SR-14 | IA-5 (1) |
| MA-SR-15 | AC-4 (17) |
| MA-SR-16 | SI-7, CM-14, SC-13 |
| | |
| MA-CR-1 | SC-13 |



| CP Requirement | NIST SP 800-53 Revision 5 Security Controls |
|----------------|---------------------------------------------|
| MA-CR-2 | IA-5 (5), SC-12, SC-17 |
| MA-CR-3 | IA-5 (5), SC-12, SC-17 |
| MA-CR-4 | IA-5 (5), SC-12, SC-17 |
| MA-CR-5 | IA-3, SC-13, SC-17 |
| MA-CR-6 | IA-5 (2), SC-12, SC-17 |
| MA-CR-7 | IA-5 (2), SC-17 |
| MA-CR-8 | Withdrawn |
| MA-CR-9 | SC-13 |
| MA-CR-10 | Withdrawn |
| MA-CR-11 | SC-13 |
| MA-CR-12 | SC-13 |
| MA-CR-13 | SC-12 |
| MA-CR-14 | SC-12 |
| MA-CR-15 | IA-3, SC-12 |
| MA-CR-16 | SC-13 |
| MA-CR-17 | SC-13 |
| MA-CR-18 | SC-13 |
| MA-CR-19 | SC-13 |
| | |
| MA-IR-1 | SC-7, SC-8 |
| MA-IR-2 | CM-6 |
| MA-IR-3 | AC-4, SC-7, SC-8 |
| MA-IR-4 | AC-4, SC-7, SC-8 |
| MA-IR-5 | AC-4, SC-7 |
| MA-IR-6 | AC-3 (3), AC-4, SC-7, SC-8 |
| MA-IR-7 | AC-3 (3), AC-4, SC-7 |
| | |
| MA-OR-1 | SC-7, SC-8 |
| MA-OR-2 | SC-7 (7), SC-8 |
| MA-OR-3 | AC-4, SC-7, SC-8 |
| MA-OR-4 | AC-4, SC-7, SC-8 |
| MA-OR-5 | AC-4, SC-7, SC-8 |
| MA-OR-6 | AC-4, SC-3, SC-7, SC-32 |
| MA-OR-7 | AC-4, SC-7 |
| MA-OR-8 | Withdrawn |
| MA-OR-9 | CM-6, CM-7 |
| MA-OR-10 | AC-4, SC-3, SC-7, SC-32 |
| MA-OR-11 | AC-3 (3), AC-4, SC-7, SC-8 |
| MA-OR-12 | AC-3 (3), AC-4, SC-7 |
| | |

| CP Requirement | NIST SP 800-53 Revision 5 Security Controls |
|----------------|-------------------------------------------------------------------------|
| MA-MS-1 | IA-3, AC-4, SC-3, SC-7 |
| MA-MS-2 | IA-3, IA-5 (2), SC-12, SC-17 |
| MA-MS-3 | IA-3, SC-11, SC-13 |
| MA-MS-4 | IA-3, SC-13 |
| MA-MS-5 | IA-3 |
| MA-MS-6 | AC-4 (21), SC-7 (14) (21), SC-32 |
| MA-MS-7 | AC-3, SC-7 |
| MA-MS-8 | AC-3, SC-7 |
| MA-MS-9 | CM-6, SC-7, SC-8, SC-12, SC-13 |
| MA-MS-10 | IA-3, SC-8, SC-13 |
| MA-MS-11 | SC-8, SC-13 |
| MA-MS-12 | Withdrawn |
| MA-MS-13 | CA-1, PE-1 |
| MA-MS-14 | CM-6, SC-7, SC-8, SC-12, SC-13 |
| MA-MS-15 | CM-6, SC-7, SC-8, SC-12, SC-13 |
| | |
| MA-TE-1 | CM-6, SC-7, SC-8, SC-13 |
| MA-TE-2 | AC-4, SC-7 |
| MA-TE-3 | IA-3, SC-8, SC-13 |
| MA-TE-4 | IA-5 (5), SC-12, SC-17 |
| MA-TE-5 | IA-5 (5), SC-12, SC-17 |
| MA-TE-6 | IA-3, IA-5 (2), SC-12, SC-17 |
| MA-TE-7 | SC-8, SC-13 |
| MA-TE-8 | Withdrawn |
| MA-TE-9 | SC-8, SC-13 |
| MA-TE-10 | AC-4, SC-7 |
| MA-TE-11 | CM-6, SC-7, SC-8, SC-13 |
| MA-TE-12 | CM-6, SC-7, SC-8, SC-12, SC-13 |
| MA-TE-13 | CM-6, SC-7, SC-8, SC-12, SC-13 |
| | |
| MA-RD-1 | AC-18, AC-19, SA-4 (6) (7) |
| MA-RD-2 | AC-18, AC-19, CM-6 |
| MA-RD-3 | CM-6, SC-8 (1), SC-13 |
| MA-RD-4 | AC-18, SC-8, SC-13 |
| MA-RD-5 | Withdrawn, covered in the <i>CSfC Key Management Requirements Annex</i> |
| MA-RD-6 | CM-7, SC-43 |
| MA-RD-7 | CM-6 |
| MA-RD-8 | CM-6 |
| MA-RD-9 | CM-6 |
| MA-RD-10 | CM-6, IA-5 |



| CP Requirement | NIST SP 800-53 Revision 5 Security Controls |
|----------------|-------------------------------------------------------------------------|
| MA-RD-11 | CM-6 |
| MA-RD-12 | CM-6 |
| MA-RD-13 | AC-4, SC-8 |
| MA-RD-14 | AC-3, AC-6 |
| MA-RD-15 | AC-2 |
| MA-RD-16 | CM-6, CM-7, SC-43 |
| MA-RD-17 | AC-4, CM-6 |
| MA-RD-18 | CM-6, CM-7 |
| MA-RD-19 | SC-43 |
| MA-RD-20 | CM-6, CM-7 |
| MA-RD-21 | AC-3, AC-6, AU-9 |
| MA-RD-22 | SI-7 (15) |
| MA-RD-23 | CM-7 |
| MA-RD-24 | AC-3, AC-6 |
| MA-RD-25 | Withdrawn, covered in the <i>CSfC Key Management Requirements Annex</i> |
| MA-RD-26 | Withdrawn |
| MA-RD-27 | CM-6, SC-8, SC-13 |
| MA-RD-28 | CM-6, SC-8, SC-13 |
| MA-RD-29 | AC-19, SC-7, SC-43 |
| MA-RD-30 | PE-4 |
| MA-RD-31 | AC-4, SC-8 |
| MA-RD-32 | AC-4, SC-8 |
| | |
| MA-HI-1 | CA-9 |
| MA-HI-2 | AC-18 (3) (4) |
| MA-HI-3 | AC-18 (3) |
| MA-HI-4 | IA-3 |
| MA-HI-5 | AC-4 (21) |
| MA-HI-6 | CA-9 |
| MA-HI-7 | CA-9, SC-7 (21) |
| MA-HI-8 | CM-6, SC-7 (17) |
| MA-HI-9 | SC-7 (21), SC-32 |
| MA-HI-10 | CA-9 |
| MA-HI-11 | IA-3 |
| MA-HI-12 | CM-7 |
| | |
| MA-WC-1 | AC-17, AC-19 |
| MA-WC-2 | Withdrawn |
| MA-WC-3 | Withdrawn |
| MA-WC-4 | Withdrawn |



| CP Requirement | NIST SP 800-53 Revision 5 Security Controls |
|----------------|------------------------------------------------------------------------------|
| MA-WC-5 | Withdrawn |
| MA-WC-6 | Withdrawn |
| MA-WC-7 | Withdrawn |
| MA-WC-8 | Withdrawn |
| MA-WC-9 | Withdrawn |
| MA-WC-10 | Withdrawn |
| MA-WC-11 | Withdrawn |
| MA-WC-12 | Withdrawn |
| MA-WC-13 | AC-4, SC-2, SC-7 |
| MA-WC-14 | CM-1, CM-6 |
| MA-WC-15 | Withdrawn |
| MA-WC-16 | Withdrawn |
| MA-WC-17 | CA-9 |
| MA-WC-18 | AC-18 (3) |
| MA-WC-19 | CA-9 |
| | |
| MA-EU-1 | CA-1 |
| MA-EU-2 | CM-1, CM-6, SC-28 (1) |
| MA-EU-3 | SC-25, SC-34 (1) |
| MA-EU-4 | SC-32 |
| MA-EU-5 | SC-7 (21) (22), SC-32 |
| MA-EU-6 | IA-5, SC-12, SC-17 |
| MA-EU-7 | SC-7 (7), SC-8 |
| MA-EU-8 | Withdrawn, covered in the <i>CSfC Key Management Requirements Annex</i> |
| MA-EU-9 | Withdrawn, covered in the <i>CSfC Key Management Requirements Annex</i> |
| MA-EU-10 | IR-8 |
| MA-EU-11 | IR-8 |
| MA-EU-12 | AC-3, IA-2, IA-11 |
| MA-EU-13 | AC-3, IA-2, IA-11 |
| MA-EU-14 | Withdrawn |
| MA-EU-15 | PL-4, PS-6 |
| MA-EU-16 | AC-18, PL-4 |
| MA-EU-17 | AC-2, AT-2, AT-4, IA-4, PE-23, PE-19, PE-20, PL-4, PS-3 (1) (2), PS-6, SC-43 |
| MA-EU-18 | AC-19 (4), SC-7, SC-43 |
| MA-EU-19 | CM-6 |
| MA-EU-20 | SC-42 (2) |
| MA-EU-21 | CM-6, CM-7, SI-7 |
| MA-EU-22 | CM-6, CM-7 |
| MA-EU-23 | CM-6, CM-7 |
| MA-EU-24 | MP-6, SC-12, SC-13, SC-17 |



| CP Requirement | NIST SP 800-53 Revision 5 Security Controls |
|----------------|---------------------------------------------|
| MA-EU-25 | IA-5 (1) |
| MA-EU-26 | Withdrawn |
| MA-EU-27 | AC-4, AC-19, SC-7, SC-32 |
| MA-EU-28 | Withdrawn |
| MA-EU-29 | AC-4, AC-19, SC-7 |
| MA-EU-30 | Withdrawn |
| MA-EU-31 | AC-4, AC-19, SC-7 |
| MA-EU-32 | CM-1, CM-6, SC-28 (1) |
| MA-EU-33 | IA-3, SC-8, SC-13 |
| MA-EU-34 | IA-3, SC-8, SC-13 |
| MA-EU-35 | IA-3, SC-8, SC-13 |
| MA-EU-36 | Withdrawn |
| MA-EU-37 | AC-4, AC-19, SC-7, SC-8 |
| MA-EU-38 | AC-4, AC-19, SC-7, SC-8 |
| MA-EU-39 | IA-5 (1) |
| MA-EU-40 | AC-11 (1) |
| MA-EU-41 | AC-7 |
| MA-EU-42 | AC-17, AC-18, SC-8 |
| MA-EU-43 | CM-6 (1) |
| MA-EU-44 | IA-5, SC-12 |
| MA-EU-45 | IA-5, SC-12 |
| MA-EU-46 | AC-11 (1) |
| MA-EU-47 | MP-7, SC-41 |
| MA-EU-48 | MP-7, SC-41 |
| MA-EU-49 | SI-7 (15) |
| MA-EU-50 | SI-7 (15) |
| MA-EU-51 | AC-18 |
| MA-EU-52 | AC-19, SC-43 |
| MA-EU-53 | CA-3, SA-9 |
| MA-EU-54 | CM-7, SC-43 |
| MA-EU-55 | AC-3, AC-6 |
| MA-EU-56 | AC-4, AC-17 |
| MA-EU-57 | AC-6, CM-7 |
| MA-EU-58 | AC-8 |
| MA-EU-59 | CM-6 (1) |
| MA-EU-60 | CM-6, SC-42 |
| MA-EU-61 | CM-6, CM-7 |
| MA-EU-62 | CM-6, CM-7 |
| MA-EU-63 | AC-3, AC-6, CM-6 (1) |
| MA-EU-64 | AC-6, CM-6, CM-7 |



| CP Requirement | NIST SP 800-53 Revision 5 Security Controls |
|----------------|---------------------------------------------|
| MA-EU-65 | IA-5 (1) |
| MA-EU-66 | SC-43 |
| MA-EU-67 | SR-9 |
| MA-EU-68 | SA-18, SI-7 (4) |
| MA-EU-69 | MP-7, SC-41 |
| MA-EU-70 | CM-7 |
| MA-EU-71 | CM-7 |
| MA-EU-72 | SI-7 (10) |
| MA-EU-73 | IA-5 (1) |
| MA-EU-74 | IA-5 (1) |
| MA-EU-75 | AC-3 |
| MA-EU-76 | SR-9 |
| MA-EU-77 | AC-7 |
| MA-EU-78 | MA-2 |
| MA-EU-79 | IA-2 |
| MA-EU-80 | IA-2 |
| MA-EU-81 | IA-2 |
| MA-EU-82 | CM-1, CM-6, SC-28 (1) |
| | |
| MA-VZ-1 | AC-6 (4), SC-29 (1) |
| MA-VZ-2 | SC-28 (3) |
| MA-VZ-3 | SI-7 (5) |
| MA-VZ-4 | AC-6 (4), SC-39 |
| MA-VZ-5 | AC-6 (4), SC-2 |
| MA-VZ-6 | SC-7 (21) |
| MA-VZ-7 | AC-6 (4), SC-39 |
| MA-VZ-8 | SC-12 |
| MA-VZ-9 | SC-12 |
| MA-VZ-10 | SI-12 (3), SR-12 |
| MA-VZ-11 | SC-28 |
| MA-VZ-12 | SC-12, SC-17 |
| MA-VZ-13 | SC-12, SC-17 |
| MA-VZ-14 | IA-5 (1) |
| MA-VZ-15 | AC-6, SC-2 |
| MA-VZ-16 | AC-8 |
| MA-VZ-17 | AC-3 (3) |
| MA-VZ-18 | IA-5 (1h) |
| MA-VZ-19 | AU-6 (4), SI-4 (2) |
| MA-VZ-20 | AC-6 (1), CM-5, CM-6, SC-2 |
| MA-VZ-21 | CM-5, SC-2 |



| CP Requirement | NIST SP 800-53 Revision 5 Security Controls |
|----------------|---------------------------------------------|
| MA-VZ-22 | CM-5, SC-2 |
| MA-VZ-23 | AC-3 |
| MA-VZ-24 | SC-28 (1) |
| MA-PF-1 | CM-6, CM-7, SC-43 |
| MA-PF-2 | CM-7 |
| MA-PF-3 | AC-4, CM-7 |
| MA-PF-4 | AC-4, SC-7 (5) |
| MA-PF-5 | AC-4, SC-7 (5) |
| MA-PF-6 | AC-4, SC-7 |
| MA-PF-7 | CM-7, SC-7 (5) |
| MA-PF-8 | CM-7 |
| MA-PF-9 | CM-7, SC-7 |
| MA-PF-10 | CM-7 |
| MA-PF-11 | CM-7 |
| MA-PF-12 | CM-7 |
| MA-PF-13 | AC-4, SC-7 (5) |
| MA-PF-14 | AC-4 |
| MA-PF-15 | AC-4 |
| MA-PF-16 | AC-4 |
| MA-PF-17 | Withdrawn |
| MA-PF-18 | AC-4, SC-7 |
| MA-PF-19 | AC-4, SC-7 |
| MA-PF-20 | CM-7 |
| MA-DM-1 | CM-7, AC-5 |
| MA-DM-2 | AC-4, SC-7, SC-32 |
| MA-DM-3 | AC-4, SC-7, SC-32 |
| MA-DM-4 | AC-4, SC-7, SC-32 |
| MA-DM-5 | AC-4, SC-7, SC-32 |
| MA-DM-6 | AC-4, SC-13 |
| MA-DM-7 | AC-3, AC-6 |
| MA-DM-8 | SC-13 |
| MA-DM-9 | AT-3, PL-7 |
| MA-DM-10 | Withdrawn |
| MA-DM-11 | SC-12 |
| MA-DM-12 | SC-12 |
| MA-DM-13 | AC-4, SC-7, SC-32 |
| MA-DM-14 | Withdrawn |
| MA-DM-15 | Withdrawn |



| CP Requirement | NIST SP 800-53 Revision 5 Security Controls |
|----------------|------------------------------------------------------------------|
| MA-DM-16 | Withdrawn |
| MA-DM-17 | Withdrawn |
| MA-DM-18 | Withdrawn |
| MA-DM-19 | IA-5, SC-12 |
| MA-DM-20 | IA-5, SC-12 |
| MA-DM-21 | AC-4, SC-7, SC-32 |
| MA-DM-22 | AC-4, SC-7, SC-32 |
| | |
| MA-MFA-1 | IA-2 (2, 6) |
| MA-MFA-2 | IA-2 (2, 6) |
| MA-MFA-3 | IA-2 (2, 6) |
| MA-MFA-4 | IA-2 (6) |
| MA-MFA-5 | IA-5 (a, h) |
| MA-MFA-6 | IA-2 (2) |
| MA-MFA-7 | AC-7 |
| MA-MFA-8 | IA-2 (8) |
| MA-MFA-9 | IA-5 (d, g, h, i) |
| MA-MFA-10 | IA-5 (d, f, g, h, i) |
| MA-MFA-11 | IA-5 |
| MA-MFA-12 | IA-5, SC-8(i) |
| MA-MFA-13 | MP-4 |
| MA-MFA-14 | IA-2 |
| | |
| MA-GD-1 | PE-1, RA-2 |
| MA-GD-2 | PE-2 |
| MA-GD-3 | PE-2 |
| MA-GD-4 | MP-6, MP-8 |
| MA-GD-5 | MP-6 |
| MA-GD-6 | MP-6, SC-12, SC-13, SC-17 |
| MA-GD-7 | SR-10 |
| MA-GD-8 | PM-11, SA-1 |
| MA-GD-9 | CA-2 (1) |
| MA-GD-10 | CA-2 |
| MA-GD-11 | CA-2 |
| MA-GD-12 | CA-1 |
| MA-GD-13 | CA-2 |
| MA-GD-14 | CA-1 |
| MA-GD-15 | CA-6 |
| MA-GD-16 | CA-6 |
| MA-GD-17 | Requirement relocated to <i>CSfC Continuous Monitoring Annex</i> |



| CP Requirement | NIST SP 800-53 Revision 5 Security Controls |
|----------------|------------------------------------------------------------------------|
| MA-GD-18 | Requirement relocated to <i>CSfC Continuous Monitoring Annex</i> |
| MA-GD-19 | Requirement relocated to <i>CSfC Continuous Monitoring Annex</i> |
| MA-GD-20 | Requirement relocated to <i>CSfC Continuous Monitoring Annex</i> |
| MA-GD-21 | Requirement relocated to <i>CSfC Continuous Monitoring Annex</i> |
| MA-GD-22 | Requirement relocated to <i>CSfC Continuous Monitoring Annex</i> |
| MA-GD-23 | Requirement relocated to <i>CSfC Continuous Monitoring Annex</i> |
| MA-GD-24 | Requirement relocated to <i>CSfC Continuous Monitoring Annex</i> |
| MA-GD-25 | IA-5 (1) |
| MA-GD-26 | CM-3, CM-9, SI-2 |
| MA-GD-27 | CM-3, CM-9, SI-1 |
| MA-GD-28 | PE-19 (1) |
| MA-GD-29 | RA-2 |
| MA-GD-30 | CM-8 |
| MA-GD-31 | AC-19, PL-4, PS-6 |
| MA-GD-32 | CM-2, CM-2 (3) |
| MA-GD-33 | CM-14 |
| MA-GD-34 | CM-14 |
| MA-GD-35 | SC-46, AC-4 (20) |
| | |
| MA-RP-1 | IR-6 |
| MA-RP-2 | IR-6 |
| MA-RP-3 | IR-8 |
| MA-RP-4 | IR-8 |
| MA-RP-5 | IR-8 |
| MA-RP-6 | IR-8 |
| MA-RP-7 | IR-8 |
| MA-RP-8 | IR-8 |
| MA-RP-9 | IR-8 |
| MA-RP-10 | IR-8 |
| MA-RP-11 | IR-8 |
| MA-RP-12 | IR-8 |
| MA-RP-13 | IR-8 |
| MA-RP-14 | IR-8 |
| MA-RP-15 | IR-8 |
| MA-RP-16 | IR-8 |
| | |
| MA-RB-1 | AC-1, PS-1 |
| MA-RB-2 | AC-5 |
| MA-RB-3 | AT-3 |
| MA-RB-4 | Requirement relocated to <i>CSfC Key Management Requirements Annex</i> |

| CP Requirement | NIST SP 800-53 Revision 5 Security Controls |
|-------------------------------------------------------------------|------------------------------------------------------------------------|
| MA-RB-5 | IR-6 |
| MA-RB-6 | Requirement relocated to <i>CSfC Key Management Requirements Annex</i> |
| MA-RB-7 | AC-5 |
| MA-RB-8 | SR-10 |
| MA-RB-9 | SI-4 |
| MA-RB-10 | SC-12, SC-13, SC-17 |
| MA-RB-11 | AC-5 |
| | |
| MA-TR-0 | SA-11 |
| | |
| MA-TO-1 | AC-4 (21), SC-3 (1), SC-7 (14) (21), SC-32 |
| All other Tactical Implementation Requirements were mapped above. | |

