



# NSA/CSS Evaluated Products List for Paper Disintegrators

## OVERVIEW

Devices included on this list have passed evaluation by meeting requirements set by the NSA/CSS for the disintegration of paper with notations to those devices also approved to destroy punched (key) tape, and CDs. Meant to serve as guidance, inclusion in this document is not an endorsement by the NSA/CSS or the U.S. Government. All listed products sanitize TS/SCI and below.

## QUALIFICATIONS FOR APPROVAL

The NSA/CSS established the following performance requirements against which these disintegration devices have been tested:

- The device must reduce paper and/or punched tape to an edge size of 3 millimeter by 5 millimeter, or less.
- Testing protocol includes the timed destruction of mixed storage devices.
- Devices that meet NSA/CSS sanitization specifications for the following storage devices are identified with the following approval ratings:
  - P = Paper
  - K = Key (punched) tape (plastic or paper)
  - C = CDs

Equipment is listed in alphabetical order by vendor. Alternate or previously used retail names appear in parentheses.

Models that are no longer manufactured but still approved are included.

Vendors submitting equipment for evaluation will no longer have their return shipping costs funded by NSA.

Questions about specific models not shown can be directed to the Center for Storage Device Sanitization Research at 301-688-1053 or [CSDSR@nsa.gov](mailto:CSDSR@nsa.gov).

## WHAT YOU NEED TO KNOW

1. This list serves as guidance for the destruction of paper storage devices, and identifies devices also approved for the destruction of paper/plastic punched (key) tape and CD optical storage device format. For storage device specific equipment, refer to the *NSA/CSS PM 9-12 Storage Device Sanitization Manual*.
2. It is recommended to mix paper with CDs during destruction.
3. Devices within this document are NOT authorized for DVD or BD sanitization.
4. Each device offers different convenience features, footprints, throughput rates and power requirements. Contact the vendor to identify the unit(s) best suited to your site's needs.
5. When a product is removed from the EPL due to security reasons a grace period of six years for continued usage is in effect for DoD customers. IC customers follow your organization's policy regarding this matter. Government Contractors should follow guidance/policy of their cognizant government industrial security oversight organization.

This document is updated on an as-needed basis. The procedures for administration and distribution of the EPL are subject to change without notice.

<b>PAPER DISINTEGRATORS</b>			
<b>VENDOR</b>	<b>MODEL</b>	<b>AUTHORIZED STORAGE DEVICES</b>	<b>SCREEN SIZE</b>
Applied Magnetics Laboratory	<b>InfoStroyer 201</b>	P, K, C	N/A
Applied Magnetics Laboratory	<b>InfoStroyer 301</b>	P, K, C	N/A
Capital Shredder Corporation	<b>MX-5 (High Security)</b>	P, K, C	4 mm
Capital Shredder Corporation	<b>MX-400</b>	P, K, C	3 mm
Capital Shredder Corporation	<b>MX-500</b>	P, K, C	3 mm
Herbold Meckesheim USA, ProSource Packaging, Inc., Sys-Tech Electric	<b>Herbold 35/42C</b>	P, K, C	3/32"
Herbold Meckesheim USA	<b>Herbold SMS 45/60</b>	P, K, C	3/32"
Herbold Meckesheim USA	<b>Herbold SMS 60/100</b>	P, K, C	3/32"
Jay Bee Manufacturing, Inc.	<b>2MBW</b>	P, K, C	3/16"
Jay Bee Manufacturing, Inc.	<b>3MB-M</b>	P, K, C,	3/16"
Jay Bee Manufacturing, Inc.	<b>51W</b>	P, K, C	3/16"
Kusters USA, Inc.	<b>ID-100</b>	P, K, C	4 mm
Kusters USA, Inc.	<b>ID-200</b>	P, K, C	4 mm
Kusters USA, Inc.	<b>ID-300</b>	P, K, C	4 mm
Kusters USA, Inc.	<b>ID-500</b>	P, K, C	4 mm
Kusters USA, Inc.	<b>ID-750</b>	P, K, C	4 mm
Kusters USA, Inc.	<b>ID-1000</b>	P, K, C	4 mm
Marquis Business Systems, LLC	<b>Kobra Cyclone-HS6</b>	P, K, C	4 mm
Martin Yale Industries	<b>Intimus 260/410</b>	P, K, C	3.5 mm
Security Engineered Machinery, Inc.	<b>Model 2</b>	P, K, C	3/32"
Security Engineered Machinery, Inc.	<b>Model 3</b>	P, K, C	3/32"
Security Engineered Machinery, Inc.	<b>Model 15</b>	P, K, C	3/32"
Security Engineered Machinery, Inc.	<b>Model 15/5</b>	P, K, C	3/32"
Security Engineered Machinery, Inc.	<b>Model 22</b>	P, K, C	3/32"
Security Engineered Machinery, Inc.	<b>Model 22/5</b>	P, K, C	3/32"
Security Engineered Machinery, Inc.	<b>Model 22 HDS</b>	P, K, C	3/32"
Security Engineered Machinery, Inc.	<b>Model 23</b>	P, K, C	1/8" 3/32"
Security Engineered Machinery, Inc.	<b>Model 23/5</b>	P, K, C	3/32"
Security Engineered Machinery, Inc.	<b>Model 200</b>	P, C	3/32"
Security Engineered Machinery, Inc.	<b>Model 200</b>	P, K, C	5/56"
Security Engineered Machinery, Inc.	<b>Model 1012</b>	P, K, C	3/32"
Security Engineered Machinery, Inc.	<b>Model 1012/5</b>	P, K, C	3/32"
Security Engineered Machinery, Inc.	<b>Model 1424</b>	P, K, C	3/32"
Security Engineered Machinery, Inc.	<b>Model 1424/5</b>	P, K, C	3/32"
Security Engineered Machinery, Inc.	<b>Model 1436</b>	P, K, C	3/32"
Security Engineered Machinery, Inc.	<b>Model 1436/5</b>	P, K, C	3/32"
Security Engineered Machinery, Inc.	<b>Model 3000</b>	P, K, C	3/32"

Security Engineered Machinery, Inc.	<b>Model DS-22</b>	P, K, C	3/32"
Security Engineered Machinery, Inc.	<b>Model DS-22/5</b>	P, K, C	3/32"

P = Paper		K = Keytape		C = CDs	
<b>PAPER DISINTEGRATORS, CONTINUED</b>					
<b>VENDOR</b>	<b>MODEL</b>	<b>AUTHORIZED STORAGE DEVICES</b>		<b>SCREEN SIZE</b>	
Security Engineered Machinery, Inc.	<b>Model DS-24/5</b>	P, K, C		3/32"	
Security Engineered Machinery, Inc.	<b>Model DS-36/5</b>	P, K, C		3/32"	
Security Engineered Machinery, Inc.	<b>Model DS-200</b>	P, C		3/32"	
Security Engineered Machinery, Inc.	<b>Model DS-200</b>	P, K, C		5/64"	
Security Engineered Machinery, Inc.	<b>Model DS-400</b>	P, C		3/32"	
Security Engineered Machinery, Inc.	<b>Model DS-400</b>	P, K, C		5/64"	
UltraShred	<b>G3 HM-48 High Security</b>	P		N/A	
Whitaker Brothers Business Machines, Inc.	<b>120/5</b>	P, K, C		3/32"	
Whitaker Brothers Business Machines, Inc.	<b>125</b>	P, K, C		3/32"	
Whitaker Brothers Business Machines, Inc.	<b>Datastroyer 110</b>	P, K, C		3/32"	
Whitaker Brothers Business Machines, Inc.	<b>Datastroyer 120</b>	P, K, C		3/32"	
Whitaker Brothers Business Machines, Inc.	<b>Datastroyer 145</b>	P, K, C		3/32"	
Whitaker Brothers Business Machines, Inc.	<b>Datastroyer 210</b>	P, K, C		3/32"	
Whitaker Brothers Business Machines, Inc.	<b>Datastroyer 225</b>	P, K, C		3/32"	
Whitaker Brothers Business Machines, Inc.	<b>Datastroyer 240</b>	P, K, C		3/32"	
Whitaker Brothers Business Machines, Inc.	<b>Datastroyer 310</b>	P, K, C		3/32"	
Whitaker Brothers Business Machines, Inc.	<b>Datastroyer 320</b>	P, K, C		3/32"	
Whitaker Brothers Business Machines, Inc.	<b>Datastroyer 360B (MC)</b>	P, K, C		1/8"	
Whitaker Brothers Business Machines, Inc.	<b>Datastroyer 440</b>	P, K, C		3/32"	
Whitaker Brothers Business Machines, Inc.	<b>Datastroyer 800</b>	P, K, C		1/8"	
Whitaker Brothers Business Machines, Inc.	<b>Datastroyer 1000</b>	P, K, C		1/8"	
Whitaker Brothers Business Machines, Inc.	<b>Datastroyer DCS 100</b>	P, K, C		3/32"	
Whitaker Brothers Business Machines, Inc.	<b>Datastroyer DCS 300</b>	P, K, C		3/32"	
Whitaker Brothers Business Machines, Inc.	<b>Datastroyer DCS 300x</b>	P, K, C		3/32", 5/64"	
Whitaker Brothers Business Machines, Inc.	<b>Datastroyer DCS 500x</b>	P, K, C		3/32", 5/64"	

Whitaker Brothers Business Machines, Inc.	<b>Datastroyer DCS 600F</b>	P, K, C	3/32", 5/64"
Whitaker Brothers Business Machines, Inc.	<b>NDS 120</b>	P, K, C	3/32"

P = Paper

K = Keytape

C = CDs

**NO LONGER MANUFACTURED**

<b>VENDOR</b>	<b>MODEL</b>
<i>Capital Shredder Corporation</i>	<b><i>MX-1</i></b>
<i>Capital Shredder Corporation</i>	<b><i>MX-200</i></b>
<i>Dahle North America, Inc.</i>	<b><i>XC-100</i></b>
<i>Fail Safe</i>	<b><i>FS-12 (not approved for punched tape)</i></b>
<i>Jay Bee Manufacturing, Inc.</i>	<b><i>2CB</i></b>
<i>Jay Bee Manufacturing, Inc.</i>	<b><i>31SW4F</i></b>
<i>Jay Bee Manufacturing, Inc.</i>	<b><i>31SW6</i></b>
<i>Jay Bee Manufacturing, Inc.</i>	<b><i>31SW75</i></b>
<i>Jay Bee Manufacturing, Inc.</i>	<b><i>4IW75</i></b>
<i>ProSource Packaging, Inc., Kobra Shredder</i>	<b><i>AB9510</i></b>
<i>Schutte</i>	<b><i>1430</i></b>
<i>Security Engineered Machinery, Inc.</i>	<b><i>Model 30</i></b>
<i>Security Engineered Machinery, Inc.</i>	<b><i>Model 68 (not approved for punched tape)</i></b>
<i>Security Engineered Machinery, Inc.</i>	<b><i>Model 300</i></b>
<i>Security Engineered Machinery, Inc.</i>	<b><i>Model 700</i></b>
<i>Security Engineered Machinery, Inc.</i>	<b><i>Model 716</i></b>
<i>Security Engineered Machinery, Inc.</i>	<b><i>Model 1454</i></b>
<i>Security Engineered Machinery, Inc.</i>	<b><i>Model 1454/5</i></b>
<i>Security Engineered Machinery, Inc.</i>	<b><i>Model 2238</i></b>
<i>Security Engineered Machinery, Inc.</i>	<b><i>Model 2238/5R-3B</i></b>
<i>Security Engineered Machinery, Inc.</i>	<b><i>Model 2436</i></b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<b><i>144</i></b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<b><i>144M</i></b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<b><i>NDS 150 (150)</i></b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<b><i>180</i></b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<b><i>224</i></b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<b><i>Datastroyer 96</i></b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<b><i>Datastroyer 96M</i></b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<b><i>NDS 96 (96)</i></b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<b><i>NDS 96M (96M)</i></b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<b><i>NDS 144</i></b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<b><i>NDS 144M</i></b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<b><i>NDS 180</i></b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<b><i>NDS 224</i></b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<b><i>NDS 240</i></b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<b><i>NDS 280 (280)</i></b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<b><i>NDS 280A (280A)</i></b>

**NO LONGER MANUFACTURED, CONTINUED**

<b>VENDOR</b>	<b>MODEL</b>
<i>Whitaker Brothers Business Machines, Inc.</i>	<i>NDS 320</i>
<i>Whitaker Brothers Business Machines, Inc.</i>	<i>NDS 360A (360A)</i>
<i>Whitaker Brothers Business Machines, Inc.</i>	<i>NDS 360B</i>
<i>Whitaker Brothers Business Machines, Inc.</i>	<i>NDS 400 (400)</i>
<i>Whitaker Brothers Business Machines, Inc.</i>	<i>NDS 600 (600)</i>
<i>Whitaker Brothers Business Machines, Inc.</i>	<i>NDS 800</i>
<i>Whitaker Brothers Business Machines, Inc.</i>	<i>NDS 1000</i>
	<i>Document Destructor System DDS-18</i>
	<i>Document Destructor System DDS-24</i>
	<i>Document Destructor System DDS-36</i>

**VENDOR CONTACT INFORMATION**

**Applied Magnetics Laboratory, Inc. (AML)**  
 Phone: 1-717-430-2774 Fax: 1-717-846-8660  
 Email: sales@appliedmagnetics.com  
 URL: appliedmagnetics.com

401 Manor Street, York, PA 17401  
 Drew Wildonger, President  
 GSA Contract: GS-02F-0016T

**Capital Shredder Corp.**  
 Phone: 1-301-770-3900 Fax: 1-301-770-4286  
 Email: info@papershredders.com  
 URL: papershredders.com

5550 Wilkins Ct., Rockville, MD 20852  
 Gregory V. DiGioia, President  
 GSA Contract: GS-25F-0024M

**Dahle North America, Inc.**  
 Phone: 1-800-995-1379 Fax: 1-603-924-1616  
 Email: sprokop@dahle.com  
 URL: dahle.com

49 Vose Farm Rd., Peterborough, NH 03458  
 Scott A. Prokop, Vice President  
 GSA Contract: GS-02F-0112P

**Herbold Meckesheim USA**  
 Phone: 1-402-232-3354 Fax: 1-401-232-5425  
 Email: dlefrancois@herboldusa.net  
 URL: herboldUSA.com

333 George Washington Hwy., Smithfield, RI 02917  
 David Lefrancois

**Jay Bee Manufacturing**  
 Phone: 1-800-445-0610 or 1-903-597-9343 Fax: 1-903-593-8725  
 Email: jaybeemfg@suddenlinkmail.com  
 URL: jaybeehammermills.com

P.O. Box 986, Tyler, TX 75710  
 Brent Hamilton, Director of Operations

**Kusters USA, Inc.**  
 Phone: 1-814-691-0704  
 Email: Sam.Taylor@Kusters-USA.com  
 URL: kustersengineering.com

P.O. Box 5247, Johnstown, PA 15904  
 Sam Taylor, COO

**Marquis Business Systems, LLC.**  
 Phone: 1-973-340-3111 Fax: 1-973-340-3770  
 Email: info@KobraShredders.com  
 URL: KobraShredders.com

700 Route 46 West, Suite 6, Clifton, NJ 07013  
 Matt Arki, President

**VENDOR CONTACT INFORMATION, CONTINUED****ProSource Packaging, Inc.**

Phone: 1-800-203-0233 or 1-281-453-8801 Fax: 1-281-453-8806  
 Email: paul@machine-solution.com  
 URL: machine-solution.com

14911 Stuebner Airline Rd., Suite A, Houston, TX 77069  
 Paul Baumgarten, Vice President Sales  
*GSA Contract: GS-02F-0179S*

**Security Engineered Machinery, Inc. (SEM)**

Phone: 1-800-225-9293, 1-508-366-1488  
 Email: NSAEPL@semshred.com, t.busic@semshred.com  
 URL: semshred.com

5 Walkup Drive, Westboro, MA 01581  
 Todd Busic, VP of Security and Intelligence Operations  
*GSA Contract: GS-35F-005AA and GS-02F-0111P*

**Sys-Tech Electric**

Phone: 1-973-553-9477 Fax: 1-973-553-9459  
 Email: jscully@sys-techelectric.com  
 URL: steshred.com

P.O. Box 328, Hackettstown, NJ 07840  
 Joseph Scully, President

**UltraShred**

Phone: 1-877-468-5872 Fax: 1-509-244-1895  
 Email: fredd@ultrashred.com  
 URL: ultrashred.com

409 N Thierman Rd., Suite A, Spokane Valley, WA 99212  
 Fred DeFord, CEO

**Whitaker Brothers Business Machines, Inc.**

Phone: 1-800-243-9226 or 301-354-3000 Fax: 1-301-354-3003  
 Email: gsa@whitakerbrothers.com  
 URL: whitakerbrothers.com

3 Taft Ct., Rockville, MD 20850  
 Joe Mitchell, President  
 Lauren Rossi, VP Government Sales  
*GSA Contract: GS-02F-0110P and GS-35F-309DA*