

## **NSA/CSS EVALUATED PRODUCTS LIST for OPTICAL MEDIA DESTRUCTION DEVICES**

The Evaluated Products List (EPL) contains high security destruction devices evaluated by the National Security Agency/Central Security Service (NSA/CSS) that meet the performance requirements of the NSA/CSS Optical Media Destruction Device, High Security Crosscut Paper Shredder, and Solid-State Destruction Device Specification. TABLE ONE identifies destruction devices for optical and paper products; TABLE TWO identifies destruction devices for optical products including machines that can also destroy select solid-state products (i.e., credit cards, CAC ID's, SIM cards). Inclusion of a product in the EPL is not an endorsement by NSA/CSS or the U.S. Government.

Alphabetically the EPL provides the device name and sponsor contact information for each device evaluated for sanitization of all classification levels. The one-hour duration performance is calculated by sanitizing 200 optical disks of the appropriate media (CD and/or DVD). The EPL identifies the destruction styles employed by the device (combination optical and paper cutting, optical cutting, optical milling, optical grinding, optical knurling, and optical disintegration). Some machines evaluated require shredder oil to meet the NSA/CSS specifications; the Oiling column in the TABLE TWO identifies the application method and machine requirement for oil.

Approved models that are discontinued and/or no longer manufactured remain on the EPL since the device is still approved. Users are encouraged to contact manufacturer representatives for assistance in selecting unit(s) best suited to their requirements. To determine if a specific model not listed meets the security performance requirements users can contact the Center for Storage Device Sanitization Research (CSDSR) at 301-688-1053, e-mail [CSDSR@nsa.gov](mailto:CSDSR@nsa.gov), or contact their respective Client Advocate Service.

The NSA/CSS PM 9-12 Storage Device Sanitization Manual provides guidance for all classified media storage devices. This includes optical media: to sanitize Compact Disks (CD) and Digital Versatile Disks (DVD) the media area must be twenty-five millimeters square or less, with no long edge greater than seven millimeters in length.

The procedures for administration and distribution of the EPL are subject to change without notice. Inquiries from U.S. Government users should contact designated customer support channels through the NSA/CSS Information Assurance Directorate (IAD) Client Advocate Services. For IAD Client Advocate support to Civil and DoD Agencies, please call 1-410-854-4790 and for Military Services, Intelligence, and Combatant Commands please call 1-410-854-4200. If you prefer to send an e-mail, please contact us at [NIASC@nsa.gov](mailto:NIASC@nsa.gov). For all other inquiries, please contact the NSA/CSS Public Affairs Office via phone at 301-688-6524 or send an e-mail to [nsapao@nsa.gov](mailto:nsapao@nsa.gov).

TABLE ONE					
COMBINATION OPTICAL & PAPER CROSSCUT DESTRUCTION DEVICES					
Device Name	Model	Sponsor	Acceptable Media	Rate (discs/hr)	One Hour Durability Test
Capital Shredder	K-16 Destroyer	Capital Shredder Corp.	CDs DVDs Paper	1,465	Sheet Capacity: 6 Reams Total: 10 Feed Opening: 9.5"
	SS-16D		CDs DVDs Paper	2,000	Sheet Capacity: 8 Reams Total: 19 Feed Opening: 10.25"
Datastroyer	DCS 36/6	Whitaker Brothers Business Machines, Inc.	CDs DVDs Paper	2,000	Sheet Capacity: 7 Reams Total: 15 Feed Opening: 13"
Dynamo	672 Formerly: 662 HSAL DUAL	NewMarket Enterprises	CDs DVDs Paper	2,000	Sheet Capacity: 9 Reams Total: 10 Feed Opening: 10.25"
Formax	FD8730HS	Formax	CDs DVDs Paper	2,000	Sheet Capacity: 8 Reams Total: 19 Feed Opening: 10.25"
HSM	SecurioP36(1x5mm) OMDD COMBO Formerly: Securio P36L6-OMDD COMBO	HSM of America, LLC	CDs DVDs Paper	2,000	Sheet Capacity: 7 Reams Total: 15 Feed Opening: 13"
Kobra	400HS6 Combi	Marquis Business Systems	CDs DVDs Paper	1,465	Sheet Capacity: 6 Reams Total: 10 Feed Opening: 9.5"
ProSource	AB950OMP	ProSource Packaging, Inc.	CDs DVDs Paper	1,465	Sheet Capacity: 6 Reams Total: 10 Feed Opening: 9.5"

TABLE TWO

## OPTICAL DESTRUCTION DEVICES

Device Name	Model	Sponsor	Acceptable Media	Rate (discs/hr)	Oiling	Cut Style	Remarks
Capital Shredder	K-16 OM	Capital Shredder Corp.	CDs DVDs	1,770	Auto	Crosscut	
CD ROM	DX-CDe	CD ROM, Inc.	CDs Only	60	None	Grinding	See Note 1
	DX-CDm		CDs Only	45	None	Grinding	See Note 1
	DX-CD2		CDs Only	150	None	Grinding	See Note 1
Datastroyer	101	Whitaker Brothers Business Machines, Inc.	CDs Only	300	None	Milling	See Note 1
	103-DVD		CDs DVDs	1,500	None	Crosscut	
Dynamo	671 Formerly: 661 OMCD	NewMarket Enterprises, Ltd.	CDs DVDs	1,064	Auto	Crosscut	Effective: 5/03/2013
Formax	FD8710HS	Formax	CDs Only	1,790	Manual	Crosscut	Effective: 5/10/2012
	FD8712HS		CDs DVDs	1,068	Manual	Crosscut	Effective: 10/27/2014
HSM	411.2 OMDD	HSM of America, LLC	CDs DVDs	1,500	Manual	Crosscut	
InfoStroyer	101	Applied Magnetics Laboratory, Inc.	CDs Only	300	None	Milling	See Note 1
	151- EXTVAC		CDs DVDs	570	None	Disintegrate	Effective: 3/25/2013
	151-HP		CDs DVDs EMV Credit Cards Magnetic Stripe Cards CAC ID's SIM Cards	1,091	None	Disintegrate	Effective: 9/01/2015
Kobra	400 HS- OM	Marquis Business Systems	CDs DVDs	1,770	Auto	Crosscut	

TABLE TWO

## OPTICAL DESTRUCTION DEVICES

Device Name	Model	Sponsor	Acceptable Media	Rate (discs/hr)	Oiling	Cut Style	Remarks
Kusters Engineering	OMD	Kusters Engineering	CDs DVDs	2,675	None	Disintegrate	
ProSource	AB501OM	ProSource Packaging, Inc.	CDs DVDs	1,770	Auto	Crosscut	
Proton	1250	Proton Data Security	CDs Only	360	None	Knurling	See Notes 1 & 2
	2495		CDs DVDs	1,000	None	Disintegrate	
SEM	0200 OMD	Security Engineered Machinery	CDs DVDs	570	None	Disintegrate	
	0200 OMD/SSD		CDs DVDs EMV Credit Cards Magnetic Stripe Cards CAC ID's SIM Cards	1,091	None	Disintegrate	Effective: 9/01/2015
	0201 OMD		CDs DVDs	1,583	Auto	Crosscut	
	0202 OMD		CDs DVDs	2,400	Auto	Crosscut	Effective: 5/09/2012
	250		CDs DVDs	720	Auto	Crosscut	
	CD Declassifier 1200		CDs Only	180	None	Milling	See Note 1

## Note:

1. Device was evaluated prior to the release of NSA/CSS Specification 04-02. Device was not evaluated for durability. Adhesive labels may prevent destruction of the data and may significantly reduce functionality and/or durability.
2. Remove or obliterate all classified markings prior to destruct.

REFERENCE CHART FOR CONVERSION
0.8 millimeter = <b>1/32</b> inch (0.03125 inch)
<b>1.0</b> millimeter = 5/128 inch (0.03906 inch)
4.8 millimeter = <b>3/16</b> inch (0.18750 inch)
<b>5.0</b> millimeter = 25/128 inch (0.19531 inch)
12.7 millimeter = <b>1/2</b> inch (0.50000 inch)

## SPONSOR CONTACT INFORMATION

---

**Applied Magnetic Laboratory, Inc. (AML)**  
401 Manor Street  
York, PA 17401  
URL: [www.appliedmagnetics.com](http://www.appliedmagnetics.com)  
GSA Contract#: **GS-02F-0016T**

Drew Wildonger, President  
Tel: 410-583-2100  
Fax: 410-583-8315

**Capital Shredder Corp.**  
5550 Wilkins Court  
Rockville, MD 20852  
URL: [www.papershredders.com](http://www.papershredders.com)  
GSA Contract#: **GS-25F-0024M**

Gregory V. DiGioia, President  
H. Kim Jones, CEO  
E-mail: [Info@papershredders.com](mailto:Info@papershredders.com)  
Tel: 1-301-770-3900  
Fax: 1-301-770-4286

**CD ROM, Inc.**  
3131 East Riverside Drive  
Fort Myers, FL 33916-1511  
URL: [www.cdrominc.com](http://www.cdrominc.com)  
GSA Contract#: **GS-35F-0450J**

Dr. Roger Hutchison, President and CEO  
E-mail: [Urshutch@cdrominc.com](mailto:Urshutch@cdrominc.com)  
Tel: 952-832-5424  
Fax: 952-832-5434

**Formax**  
44 Venture Drive  
Dover, NH 03820  
URL: [www.formax.com](http://www.formax.com)  
GSA Contract#: **GS-02F-0209S**

T. Ryan Lindsay, President  
Email: [TRLindsay@formax.com](mailto:TRLindsay@formax.com)  
Tel: 1-800-232-5535 ext.11

**HSM of America, Inc.**  
419 Boot Road  
Downingtown, PA 19335  
URL: [www.hsmofamerica.com](http://www.hsmofamerica.com)  
GSA Contract#: **GS-02F-0120P**

Marshall Eubanks, Senior Product Manager  
mail: [marshall.eubanks@hsmofamerica.com](mailto:marshall.eubanks@hsmofamerica.com)  
Tel: 1-800-613-2110  
Fax: 1-484-237-2340

**Kusters Engineering America**

PO Box 5247  
Johnstown, PA 15904  
URL: [www.kustersengineering.com](http://www.kustersengineering.com)

Sam Taylor, COO  
E-mail: [Info@Kustersamerica.com](mailto:Info@Kustersamerica.com)  
Tel: 1-814-691-0704

---

**Marquis Business Systems, L.L.C.**

700 Route 46 West, Suite 6  
Clifton, NJ 07013  
URL: [www.kobrashredders.com](http://www.kobrashredders.com)

Matt Arki, President  
E-mail: [Info@KobraShredders.com](mailto:Info@KobraShredders.com)  
Tel: 1-973-340-3111  
Fax: 1-973-340-3770

---

**New Market Enterprises, Ltd.  
dba Dynamo Shredder Company**

392 Harbor Ridge Dr.  
Palm Harbor, FL 34683-1426  
URL: [www.DynamoShredders.com](http://www.DynamoShredders.com)  
GSA Contract #: **GS-02F-0191P**

James J. Mokhiber, CEO  
E-mail: [jmokhiber@newmarketLtd.net](mailto:jmokhiber@newmarketLtd.net)  
E-mail: [government@DynamoShredders.com](mailto:government@DynamoShredders.com)  
E-mail: [eficca@DynamoShredders.com](mailto:eficca@DynamoShredders.com)  
E-mail: [jomahony@newmarketLtd.net](mailto:jomahony@newmarketLtd.net)  
Tel: 1-484-341-8004  
Fax: 1-484-872-0089

---

**ProSource Packing, Inc.**

14911 Stuebner Airline Road, Suite A  
Houston, TX 77069-2122  
URL: [www.machine-solution.com](http://www.machine-solution.com)  
URL: [www.psofficesupply.com](http://www.psofficesupply.com)  
GSA Contract #: **GS-02F-0179S**

Paul Baumgarten, Vice President Sales  
Gilbert Baumgarten-Arias, IT Specialist  
E-mail: [paul@machine-solution.com](mailto:paul@machine-solution.com)  
Tel: 1-281-453-8801  
Tel: 1-800-203-0233  
Fax: 1-281-453-8806

---

**Proton Engineering Inc.**

P.O. Box 1852  
Palm City, FL 34991  
URL: [www.protondata.com](http://www.protondata.com)

William Olliges, CEO  
E-mail: [proton@bellsouth.net](mailto:proton@bellsouth.net)  
Tel: 772-223-1685  
Fax: 772-223-1685

---

**Security Engineered Machinery, Inc. (SEM)**

5 Walkup Drive  
Westboro, MA 01581  
URL: [www.semshred.com](http://www.semshred.com)  
GSA Contract#: **GS-02F-0111P**

Terry Creek, Vice President Government Sales  
E-mail: [t.creek@semshred.com](mailto:t.creek@semshred.com)  
Tel: 1-800-225-9293  
Fax: 1-508-836-4154

---

**Whitaker Brothers Business Machines, Inc.**

3 Taft Court  
Rockville, MD 20850  
URL: [www.whitakerbrothers.com](http://www.whitakerbrothers.com)  
GSA Contract #: **GS-02F-0110P**

Joe Mitchell, President  
Lauren Rossi, Vice President of Government Sales  
E-mail: [gsa@whitakerbrothers.com](mailto:gsa@whitakerbrothers.com)  
Tel: 1-800-243-9226/1-301-354-3000  
Fax: 1-301-354-3003

---